

UniNet[®]

iColor[®] LF 900

DIGITAL LABEL CUTTING WITH BUILT-IN
LAMINATION WIDE FORMAT FINISHER



FINISH ON DEMAND
ANY JOB ANY SIZE ANY TIME

YOUR ON-DEMAND DIGITAL WIDE FORMAT LABEL FINISHING TECHNOLOGY!

UniNet introduces the iColor® LF900, an exceptional INTEGRATED WIDE FORMAT LABEL finishing solution developed to manage an extensive variety of wide format label media stock featuring lamination, contour cutting, waste matrix removal, slitting and final rewind. The UniNet iColor® LF900 was created to optimize the label finishing process on demand.

THE UNINET iColor® LF900 WIDE FORMAT FINISHER KEEPS YOU COMPETITIVE!

- Complete your wide format product label production digitally and on-demand
- Enhance your wide format label quality appearance for lasting durability, and full protection; ideal for beverage, food, water bottle labels, and much more.
- Increase your profits by producing powerful, compelling and visually appealing finished labels ready for the production line.



FEATURES AND BENEFITS

- Increase your profits and productivity with impressive speeds - 1.5 meters faster than a standard finisher
- Creates customized shapes and sizes to suit label needs
- OPTIONAL Double Cutting Head System and Carrier - Type Lamination Rewind System to increase and maximize label finishing process to up to 10.2 meters per minute.
- Compatible with all roll-to-roll labels up to 14" wide
- Knife slitting with easy adjustability and multiple slit web rewind
- User friendly control panel for easy navigation through multiple menus and functions.
- Combines state-of-the-art tracking technology with robust, industry standard engineering.
- A perfect complement to the iColor® 900 Digital Label Press!

iColor® LF900 EQUIPMENT SPECIFICATIONS

Media width:	3.9"-14" (100-350mm)
Input roll diameter:	Up to 24" (600mm)
Cut Label size:	.79"-31" (20-800mm) linear length
Media jointing:	Splicing bed
Cut speed:	31" (800mm) axial maximum
Cutting speed:	Up to 16.9' (5.1m) per minute (Dependent on graphic) (Up to 33.6' (10.2m) with double cutting head option)
Cut Force:	005-400 grams in 5 gram steps (Independently controlled in case of double cutting head option)
Cut Type:	Drag Knife and Tangential emulation (with double cutting head option)
Cut Ability:	Both printed and unprinted media
Cut Registration:	Single Point registration system
Roll slitting:	5 Blade slitting, and re-wind system
Cut media re-wind:	Twin reversible re-wind drives
Paper out:	Sensor system
Double Dancer bars:	For paper feed with positional intelligence
Lamination:	Unsupported and Supported laminate roll
Cut Matrix:	Waste removal - Matrix rewind system
Interface & Software:	WinPlot (Windows OS) cut software, cutter control parameter software. Plugins for Corel Draw and Adobe Illustrator.
Power Supply:	Single Phase 110-240vac, 50/60Hz, +/- 2%

iColor® 900



iColor® LF900 Finisher

