



iColor 700 - Certified Media List

Paper - Glossy				
Media #	Product Description	Product Name	Product #	Vendor
10014*	Glossy White	56# Lasergloss RP54 3.2 mil Hi-White Kraft	LS154Z	UPM Raflatac
10015	Glossy White	Jetgloss Premium On-Demand RP51 2.8 mil White Kraft	LS236J	UPM Raflatac
10016	Glossy White	Jetgloss On-Demand RP51 2.8 mil White Kraft	LS235H	UPM Raflatac
10017	Glossy White	Castgloss RP51 40# White Kraft	PL334D	UPM Raflatac
10018	Glossy White	Castgloss RP48AT 40# White Kraft	PL335E	UPM Raflatac
10019	Glossy White	Raflagloss RP51 40# White Kraft	PL27D	UPM Raflatac

Paper - Matte				
Media #	Product Description	Product Name	Product #	Vendor
11001	Matte White	MACjet Ink Jet	NI1844	MacTac
11007	Matte White	Fasson LaserCopy Jet 300/S9010N/46#LF	18884	Avery Dennison
11018*	Matte White	Latex Impregnated RR22 3.2 mil Hi-White Kraft	LS128W	UPM Raflatac
11019*	Matte White	Matte Laser RP54 3.2 mil Hi-White Kraft	LS164K	UPM Raflatac
11020*	Matte White	54# Laser RP51 3.2 mil Hi-Brite White Kraft	LS153Y	UPM Raflatac
11022	Matte White	50# Jetlaser RP54 2.8mil White Kraft	LS21D	UPM Raflatac
11023	Matte White	Jetcolor RP54 2.8 mil White Kraft	LS111C	UPM Raflatac
11024	Matte White	50# Laser Plus RP54 2.8 mil White Kraft	LS158D	UPM Raflatac
11026	Matte White	Matte Litho RP51 40# White Kraft	PL33K	UPM Raflatac
11027*	Matte Translucent	Jetlaser Translucent RP54 3.2 mil Hi-White Kraft	LS191N	UPM Raflatac
11028	Matte White	Fasson Uncoated Litho WS/AT20N/1.2M PET	19993	Avery Dennison

Paper - Semigloss				
Media #	Product Description	Product Name	Product #	Vendor
12006*	Semigloss White	Mid-Gloss Laser Brite RP54 3.2 mil. Hi-White Kraft	LS86A	UPM Raflatac
12008	Semigloss White	Pharmagloss RP31 2.1 mil. Honey Glassine	PL72C	UPM Raflatac
12009	Semigloss White	Transfer Premium Plus XR13 40# White Kraft	SP072C	UPM Raflatac
12010	Semigloss White	54# Raflacoat RP51 40# White Kraft	PL38Q	UPM Raflatac
12011	Semigloss White	Raflasilk Opaque RP51 40# White Kraft	PL91Y	UPM Raflatac
12012*	Semigloss White	Mid-Gloss Laser DM RP54 3.2 mil Hi-White Kradft	LS230C	UPM Raflatac
12013	Semigloss White	60# Raflacoat Pro RP51 40# White Kraft	PL322R	UPM Raflatac
12014	Semigloss White	60# Raflacoat Pro RP48AT 40# White Kraft	PL323S	UPM Raflatac
12015	Semigloss White	Raflasilk RP51 40# White Kraft	PL59N	UPM Raflatac

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the EDGE 850.

10/1/2015

Paper - Tag Stock				
Media #	Product Description	Product Name	Product #	Vendor
13001	Tag White	10 Pt. C1S Carolina® BRT 94	19236	Avery Dennison
13005	Tag White	Fasson® Radid-Roll 8pt. C1S Carta Integra (Galerie Card)	16949	Avery Dennison
13007	Tag White	8 pt. C1S Carolina Tag RP51 40# White Kraft	PL110T	UPM Raflatac

Paper - Textured				
Media #	Product Description	Product Name	Product #	Vendor
14001	Texture Cream	Estate #9 RW110F 44# PK	WL38S	UPM Raflatac
		Fasson Estate Label #9/S100R/44#PK	11301	Avery Dennison
14002	Texture Cream	Estate #8 RW110F 44# PK	WL35P	UPM Raflatac
		Fasson Estate Label #8/S100R/44#PK	02394	Avery Dennison
14003	Texture Cream	Estate #4 RW110F 44# PK	WL32L	UPM Raflatac
		Fasson Estate Label #4/S100R/1.2PET	19639	Avery Dennison
14004	Texture Cream	Fasson 70# Eggshell Felt WS/S100R-B/44#PK	19203	Avery Dennison
14005	Texture White	Fasson 70# Royal White WS/S100R-B*/1.2M PET	53243	Avery Dennison
14006	Texture White	Fasson 70# Bright White Felt WS/S100R-B/44#PK	19917	Avery Dennison
14007	Texture White	Fasson Classic Crest/S100R/1.2M PET	19657	Avery Dennison
14008	Texture White	Fasson Classic Linen/S100R/44PK	12571	Avery Dennison
14009	Texture Birch	Fasson Birch Wood/AT20N/40#SCK	53252	Avery Dennison
14010	Texture Cherry	Fasson Cherry Wood/S692N/1.2M PET	53253	Avery Dennison
14011	Texture Black	Fasson 60# Black Vellum/S100R/44#PK	16256	Avery Dennison

Paper - Piggyback				
Media #	Product Description	Product Name	Product #	Vendor
15001*	Piggyback - Paper	50# Data RP51 40# White Kraft RP51 3.2 Mil Hi White Kraft	UM13R	UPM Raflatac

Paper - Fluorescent				
Media #	Product Description	Product Name	Product #	Vendor
16001	Fluorescent Green	Green Fluorescent RP51 40# White Kraft	FL04F	UPM Raflatac
16002	Fluorescent Pink	Pink Fluorescent RP51 40# White Kraft	FL10M	UPM Raflatac
16003	Fluorescent Chartreuse	Chartreuse Fluorescent RP51 40# White Kraft	FL01C	UPM Raflatac
16004	Fluorescent Orange	Orange Fluorescent RP51 40# White Kraft	FL07J	UPM Raflatac
16005	Fluorescent Red	Red Fluorescent RP51 40# White Kraft	FL13Q	UPM Raflatac

Plastic - PET				
Media #	Product Description	Product Name	Product #	Vendor



20013	Matte Transparent	Polyjetlaser Matte Transparent RP37 3.8 mil White Kraft	LS274Y	UPM Raflatac
20014	Matte White	Polylaser Matte White Pro RP37 3.8 mil White Kraft	LS266Q	UPM Raflatac
20016	Matte Transparent	1.7 mil Polylaser Matte Transparent RP37 3.2 mil White Kraft	LS27K	UPM Raflatac
20017	Gloss Clear	Polyjetlaser Gloss Clear RP37 3.8 mil White Kraft	LS287J	UPM Raflatac

20018	White	Polyjet Gloss White PET RP37 3.4 mil White Kraft	SY819V	UPM Raflatac
20019	Matte White	Polylaser Matte White Pro RP78 3.8 mil White Kraft	LS267R	UPM Raflatac

Plastic -PP				
Media #	Product Description	Product Name	Product #	Vendor
21001	White Matte	Polyjet Matte White PP RP51 3.2 mil White Kraft	SY847Z	UPM Raflatac

Plastic -Vinyl				
Media #	Product Description	Product Name	Product #	Vendor
26003	Matte White	Polyjetlaser Matte White Vinyl RP51 3.2 mil White Kraft	SY834L	UPM Raflatac
26004	Matte White	Polyjetlaser Matte White Vinyl RP37 3.2 mil White Kraft	SY823Z	UPM Raflatac

Plastic -GHS Compliant				
Media #	Product Description	Product Name	Product #	Vendor
28001	White Matte PET	2 mil White PET/MP690/3.2 mil LF	FDD6919	MACtac
28002	White Gloss BOPP	2.6 mil White BOPP/MP690/3.2 mil SCK	PJ6914	MACtac

Foil - Paper				
Media #	Product Description	Product Name	Product #	Vendor
30002	Gold	Jetgold RP54 3.4 mil White Kraft	LS206C	UPM Raflatac
31002	Silver	Jetsilver RP54 3.4 mil White Kraft	LS205B	UPM Raflatac



Certified Media #: 10014*

Vendor: UPM Raflatac

Product Name: 56# Lasergloss RP54 3.2 mil Hi-White Kraft

Facestock	Liner
Weight: 54# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.00310 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 89%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: 41%	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: 0.0076 inches \pm 10%	* Note: This material cannot be die-cut. Kiss-cut and Continuous Rolls Only
Adhesive: RP54 - Emulsion Acrylic	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



Certified Media #: 10015

Vendor: UPM Raflatac

Product Name: Jetgloss Premium On-Demand RP51 2.8mil White Kraft

Facestock	Liner
Weight: 121# \pm 10%	Weight: 47# \pm 10%
Caliper: 0.0041 inches \pm 10%	Caliper: 0.0028 inches \pm 10%
Brightness: 96%	Type: White Kraft
Smoothness: N/A	
Gloss: 75%	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0074 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



Certified Media #: 10016

Vendor: UPM Raflatac

Product Name: Jetgloss On-Demand RP51 2.8mil White Kraft

Facestock	Liner
Weight: 59# ± 10%	Weight: 47# ± 10%
Caliper: 0.0041 inches ± 10%	Caliper: 0.0028 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: 45%	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0075 inches ± 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



Certified Media #: 10017

Vendor: UPM Raflatac

Product Name: Castgloss RP51 40# White Kraft

Facestock	Liner
Weight: 54# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0031 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: 91%	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700

Humidity: 50% RH



Certified Media #: 10018

Vendor: UPM Raflatac

Product Name: Castgloss RP48AT 40# White Kraft

Facestock	Liner
Weight: 54# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0031 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: 91%	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700

Storage Temperature: 68° F
Humidity: 50% RH



Certified Media #: 10019
Vendor: UPM Raflatac
Product Name: Raflagloss RP51 40# White Kraft

Facestock	Liner
Weight: 54# ± 10%	Weight: 40# ± 10%
Caliper: 0.0025 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: 90%	Type: White Kraft
Smoothness: N/A	
Gloss: 90%	
Opacity: 86%	

Additional Information	Notes
Overall Thickness: 0.0054 inches ± 10%	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700

Adhesive: RP51 - Permanent Adhesive
Storage Temperature: 68° F
Humidity: 50% RH



Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



Certified Media #: 11001
Vendor: MacTac, DigiFlex Distribution
Product Name: MACjet Ink Jet

Facestock	Liner
Weight: 52# ± 10% (500 sheets 25" x 38") Caliper: 0.0040 inches ± 10% Brightness: 92% Smoothness: 110 Gloss: N/A Opacity: 91.4%	Weight: 40# ± 10% (500 sheets 24" x 36") Caliper: 0.0025 inches ± 10% Type: Semi-bleached kraft
Additional Information	Notes
Overall Thickness: 0.0065 inches ± 10% Adhesive: MP-910 Storage Temperature: 72° F Humidity: 50% RH	Applications include inventory tags, address, audio/video cassettes, computer disk and CD/R, file folder, shipping/receiving, pricing, order picking, routing, retail point-of-sale, and industrial work. Regulatory Compliance: CONEG



Certified Media #: 11007
Vendor: Avery Dennison
Product Name: Fasson LaserCopy Jet 300/S9010N/46#LF

Facestock	Liner
Weight: 48# ± 10% (500 sheets 25" x 38") Caliper: 0.0037 inches ± 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 46# ± 10% (500 sheets 24" x 36") Caliper: 0.00335 inches ± 10% Type: White Kraft
Additional Information	Notes
Overall Thickness: 0.00755 inches ± 10% Adhesive: S9010N Storage Temperature: 72° F Humidity: 50% RH	



Certified Media #: 11018*

Vendor: UPM Raflatac

Product Name: Latex Impregnated RR22 3.2 mil. Hi-White Kraft

Facestock	Liner
Weight: 60# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.0035 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 89%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: 50%	
Opacity: 84%	

Additional Information	Notes
Overall Thickness: 0.0072 inches \pm 10%	* Note: This material cannot be die-cut.
Adhesive: RR22 - Removable Adhesive	Kiss-cut and Continuous Rolls Only
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 11019*

Vendor: UPM Raflatac

Product Name: Matte Laser RP54 3.2 mil Hi-White Kraft

Facestock	Liner
Weight: 50# ± 10%	Weight: 53# ± 10%
Caliper: 0.0029 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: 90%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0066 inches ± 10%	For multi-purpose labeling.
Adhesive: RP54 - Emulsion Acrylic	
Storage Temperature: 72° F	
Humidity: 50% RH	* Note: This material cannot be die-cut. Kiss-cut and Continuous Rolls Only



Certified Media #: 11020*

Vendor: UPM Raflatac

Product Name: 54# Laser RP51 3.2 mil Hi-Brite White Kraft

Facestock	Liner
Weight: 54# $\pm 10\%$	Weight: 51# $\pm 10\%$
Caliper: 0.004 inches $\pm 10\%$	Caliper: 0.0032 inches $\pm 10\%$
Brightness: 94%	Type: Hi-Brite White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0077 inches $\pm 10\%$	* Note: This material cannot be die-cut.
Adhesive: RP51 - Permanent Adhesive	Kiss-cut and Continuous Rolls Only
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11022

Vendor: UPM Raflatac

Product Name: 50# Jetlaser RP54 2.8mil White Kraft

Facestock	Liner
Weight: 47# $\pm 10\%$	Weight: 45# $\pm 10\%$
Caliper: 0.0035 inches $\pm 10\%$	Caliper: 0.0028 inches $\pm 10\%$
Brightness: 89%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: 0.0067 inches $\pm 10\%$	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11023

Vendor: UPM Raflatac

Product Name: Jetcolor RP54 2.8 mil White Kraft

Facestock	Liner
Weight: 47# \pm 10%	Weight: 45# \pm 10%
Caliper: 0.0036 inches \pm 10%	Caliper: 0.0028 inches \pm 10%
Brightness: 104%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0069 inches \pm 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11024
Vendor: UPM Raflatac
Product Name: 50# Laser Plus RP54 2.8 mil. White Kraft

Facestock	Liner
Weight: 47# ± 10%	Weight: 41# ± 10%
Caliper: 0.0036 inches ± 10%	Caliper: 0.0028 inches ± 10%
Brightness: 93.6%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	
Additional Information	Notes
Overall Thickness: 0.0069 inches ± 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11026

Vendor: UPM Raflatac

Product Name: Matte Litho RP51 40# White Kraft

Facestock	Liner
Weight: 47# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0029 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 85%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0060 inches \pm 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11027

Vendor: UPM Raflatac

Product Name: Jetlaser Translucent RP54 3.2 mil Hi-White Kraft*

Facestock	Liner
Weight: 42# ± 10%	Weight: 53# ± 10%
Caliper: 0.0020 inches ± 10%	Caliper: 0.0032 inches ± 10%
Transparency: 77%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0057 inches ± 10%	* Note: This material cannot be die-cut. Kiss-cut and Continuous Rolls Only
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 11028
Vendor: Avery Dennison
Product #: Fasson Uncoated Litho WS/AT20N/1.2M PET

Facestock	Liner
Weight: 60# ± 10%	Weight: N/A
Caliper: 0.0045 inches ± 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.00118 inches ± 10%
Smoothness: N/A	Type: 1.2 mil polyester
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.00648 inches ± 10%	Regulatory Compliance: FDA 21 CFR 175.105
Adhesive: AT20N - All Temperature	
Storage Temperature: 65°F	
Humidity: 50% RH	



Certified Media #: 12006

Vendor: UPM Raflatac

Product Name: Mid-Gloss Laser Brite RP54 3.2 mil. Hi-White Kraft

Facestock	Liner
Weight: 57# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.0028 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 92%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: 78%	
Opacity: 89%	

Additional Information	Notes
Overall Thickness: 0.0064 inches \pm 10%	Designed for premium image quality.
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	* Note: This material cannot be die-cut.
Humidity: 50% RH	Kiss-cut and Continuous Rolls Only



Certified Media #: 12008

Vendor: UPM Raflatac

Product Name: Pharmagloss RP31 2.1 mil. Honey Glassine

Facestock	Liner
Weight: 44# \pm 10%	Weight: 36# \pm 10%
Caliper: 0.0023 inches \pm 10%	Caliper: 0.0021 inches \pm 10%
Brightness: 88%	Type: Honey Glassine
Smoothness: N/A	
Gloss: 72%	
Opacity: 85%	

Additional Information	Notes
Overall Thickness: 0.0048 inches \pm 10%	
Adhesive: RP31 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 12009

Vendor: UPM Raflatac

Product Name: Transfer Premium Plus XR13 40# White Kraft

Facestock	Liner
Weight: 43# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0029 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 85%	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0059 inches \pm 10%	
Adhesive: XR13 - Emulsion Acrylic	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 12010

Vendor: UPM Raflatac

Product Name: 54# Raflacoat RP51 40# White Kraft

Facestock	Liner
Weight: 54# $\pm 10\%$	Weight: 40# $\pm 10\%$
Caliper: 0.0026 inches $\pm 10\%$	Caliper: 0.0024 inches $\pm 10\%$
Brightness: 87%	Type: White Kraft
Smoothness: N/A	
Gloss: 72%	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0055 inches $\pm 10\%$	
Adhesive: RP51 - Acrylic Dispersion	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 12011

Vendor: UPM Raflatac

Product Name: Raflasilk Opaque RP51 40# White Kraft (2.5 mil)

Facestock	Liner
Weight: 57# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0028 inches \pm 10%	Caliper: 0.0025 inches \pm 10%
Brightness: 89%	Type: White Kraft
Smoothness: N/A	
Gloss: 78%	
Opacity: 99%	

Additional Information	Notes
Overall Thickness: 0.0059 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 12012

Vendor: UPM Raflatac

Product Name: Mid Gloss Laser DM RP54 3.2 mil Hi-White Kraft*

Facestock	Liner
Weight: 54# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.0027 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 89%	Type: White Kraft
Smoothness: N/A	
Gloss: 75%	
Opacity: 86%	

Additional Information	Notes
Overall Thickness: 0.0064 inches \pm 10%	* Note: This material cannot be die-cut.
Adhesive: RP54 - Permanent Adhesive	Kiss-cut and Continuous Rolls Only
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 12013

Vendor: UPM Raflatac

Product Name: 60# Raflacoat Pro RP51 40# White Kraft

Facestock	Liner
Weight: 60# $\pm 10\%$	Weight: 40# $\pm 10\%$
Caliper: 0.0032 inches $\pm 10\%$	Caliper: 0.0024 inches $\pm 10\%$
Brightness: 90%	Type: White Kraft
Smoothness: N/A	
Gloss: 70%	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0061 inches $\pm 10\%$	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 12014

Vendor: UPM Raflatac

Product Name: 60# Raflacoat Pro RP48AT 40# White Kraft

Facestock	Liner
Weight: 60# $\pm 10\%$	Weight: 40# $\pm 10\%$
Caliper: 0.0032 inches $\pm 10\%$	Caliper: 0.0024 inches $\pm 10\%$
Brightness: 90%	Type: White Kraft
Smoothness: N/A	
Gloss: 70%	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0061 inches $\pm 10\%$	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 12015

Vendor: UPM Raflatac

Product Name: Raflasilk RP51 40# White Kraft

Facestock	Liner
Weight: 57# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0028 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 92%	Type: White Kraft
Smoothness: N/A	
Gloss: 78%	
Opacity: 89%	

Additional Information	Notes
Overall Thickness: 0.0059 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 13001
Vendor: Avery Dennison
Product #: 10 Pt. C1S Carolina BRT 94

Facestock	Liner
Weight: 122# \pm 10%	Weight: N/A
Caliper: 0.010 inches \pm 10%	Caliper: N/A
Brightness: N/A	Type: None
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.010 inches \pm 10%	Applications includes airline tags, advertising CD "Jewel Case" inserts, event tickets, floral tags, game cards, jewelry boxes, perfume boxes, pocket insert tags, preserves/jams, pricemarking tags, promotional products, retail tags, shelf talker/dangler, table tents, visitor badges
Adhesive: N/A	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 13005

Vendor: Avery Dennison

Product #: Fasson Radid-Roll 8pt. C1S Carta Integra (Galerie Card)

Facestock	Liner
Weight: 104# \pm 10%	Weight: N/A
Caliper: 0.0080 inches \pm 10%	Caliper: N/A
Brightness: 90%	Type: N/A
Smoothness: N/A	
Gloss: 50%	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.008 inches \pm 10%	Applications includes airline tags, CD "Jewel Case" inserts, event tickets, floral tags, game cards, jewelry boxes, perfume boxes, pocket insert tags, pricemarking tags, retail tags, shelf talker/dangler, table tents
Adhesive: N/A	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 13007

Vendor: UPM Raflatac

Product Name: 8 pt. C1S Carolina® Tag RP51 40# White Kraft

Facestock	Liner
Weight: 123# ± 10%	Weight: 40# ± 10%
Caliper: 0.0080 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: 94%	Type: White kraft
Smoothness: N/A	
Gloss: 60%	
Opacity: 98%	

Additional Information	Notes
Overall Thickness: 0.011 inches ± 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 14001

Vendor: UPM Raflatac, Avery Dennison

Product Name: Estate #9 RW110F 44# PK, Fasson Estate Label #9/S100R/44#PK

Facestock	Liner
Weight: 60# ± 10% (500 Sheets 25" x 38") Caliper: 0.0055 inches ± 10% Brightness: 70% Smoothness: N/A Gloss: N/A Opacity: 91%	Weight: 44# ± 10% (500 sheets 24" x 36") Caliper: 0.0034 inches ± 10% Type: Natural kraft (brown)
Additional Information Overall Thickness: 0.0091 inches ± 10% Adhesive: RW110F - Permanent Adhesive Storage Temperature: 72° F Humidity: 50% RH	Notes Wine, high-end beverages and gourmet food.



Certified Media #: 14002

Vendor: UPM Raflatac, Avery Dennison

Product Name: Estate #8 RW110F 44# PK, Fasson Estate Label #8/S100R/44#PK

Facestock	Liner
Weight: 60# ± 10% (500 Sheets 25" x 38")	Weight: 44# ± 10% (500 sheets 24" x 36")
Caliper: 0.0048 inches ± 10%	Caliper: 0.0034 inches ± 10%
Brightness: 89%	Type: Natural kraft (brown)
Smoothness: N/A	
Gloss: N/A	
Opacity: 93%	

Additional Information	Notes
Overall Thickness: 0.0087 inches ± 10%	Regulatory Compliance: FDA 21 CFR 175.105
Adhesive: RW110F - Permanent Adhesive	
Storage Temperature: 65° F	Wine, high-end beverages and gourmet food.
Humidity: 50% RH	



Certified Media #: 14003

Vendor: UPM Raflatac, Avery Dennison

Product Name: Estate #4 RW110F 44# PK, Fasson Estate Label #4/S100R/1.2PET

Facestock	Liner
Weight: 60# ± 10% (500 Sheets 25" x 38")	Weight: 44# ± 10% (500 sheets 24" x 36")
Caliper: 0.0051 inches ± 10%	Caliper: 0.0034 inches ± 10%
Brightness: 85%	Type: Natural kraft (brown)
Smoothness: N/A	
Gloss: N/A	
Opacity: 93%	
Additional Information	Notes
Overall Thickness: 0.0089 inches ± 10%	Regulatory Compliance: FDA 21CFR 175.105
Adhesive: RW110F - Permanent Adhesive	
Storage Temperature: 65° F	Wine, high-end beverages and gourmet food.
Humidity: 50% RH	



Certified Media #: 14004

Vendor: Avery Dennison

Product Name: Fasson 70# Eggshell Felt WS/S100R-B/44#PK

Facestock	Liner
Weight: 70# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0069 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 44# \pm 10% (500 sheets 24" x 36") Caliper: 0.0031 inches \pm 10% Type: Natural kraft (brown)

Additional Information	Notes
Overall Thickness: 0.0108 inches \pm 10% Adhesive: Fasson S100R - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.



Certified Media #: 14005

Vendor: Avery Dennison

Product Name: Fasson 70# Royal White WS/S100R-B*/1.2M PET

Facestock	Liner
Weight: 70# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0054 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 44# \pm 10% (500 sheets 24" x 36") Caliper: 0.00118 inches \pm 10% Type: 1.2 mil Polyester

Additional Information	Notes
Overall Thickness: 0.0076 inches \pm 10% Adhesive: Fasson S100R - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.



Certified Media #: 14006

Vendor: Avery Dennison

Product Name: Fasson 70# Bright White Felt WS/S100R-B/44#PK

Facestock	Liner
Weight: 70# ± 10% (500 Sheets 25" x 38")	Weight: 44# ± 10% (500 sheets 24" x 36")
Caliper: 0.0062 inches ± 10%	Caliper: 0.0031 inches ± 10%
Brightness: N/A	Type: Natural kraft (brown)
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.01001 inches ± 10%	Wine, high-end beverages and gourmet food.
Adhesive: Fasson S100R - Permanent Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	



Certified Media #: 14007
Vendor: Avery Dennison
Product Name: Fasson Classic Crest/S100R/1.2M PET

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38")	Weight: N/A (500 sheets 24" x 36")
Caliper: 0.0047 inches \pm 10%	Caliper: 0.001181 inches \pm 10%
Brightness: N/A	Type: 1.2 mil Polyester
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0067 inches \pm 10%	Wine, high-end beverages and gourmet food.
Adhesive: Fasson S100R - Permanent Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	



Certified Media #: 14008

Vendor: Avery Dennison

Product Name: Fasson Classic Linen/S100R/44PK

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0047 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: N/A (500 sheets 24" x 36") Caliper: 0.001181 inches \pm 10% Type: 1.2 mil Polyester

Additional Information	Notes
Overall Thickness: 0.0067 inches \pm 10% Adhesive: Fasson S100R - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.



Certified Media #: 14009

Vendor: Avery Dennison

Product Name: Fasson Birch Wood/AT20N/40#SCK

Facestock	Liner
Weight: 128# \pm 10% (500 Sheets 25" x 38") Caliper: 0.00997 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 42.4# (500 sheets 24" x 36") Caliper: 0.00244 inches \pm 10% Type: 40# Super-calendered Kraft

Additional Information	Notes
Overall Thickness: 0.01321 inches \pm 10% Adhesive: Fasson AT20N - All-Temp Adhesive Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.



Certified Media #: 14010

Vendor: Avery Dennison

Product Name: Fasson Cherry Wood/S692N/1.2M PET

Facestock	Liner
Weight: 119# ± 10% (500 Sheets 25" x 38")	Weight: 42.4# (500 sheets 24" x 36")
Caliper: 0.0105 inches ± 10%	Caliper: 0.00118 inches ± 10%
Brightness: N/A	Type: 1.2 mil PET
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.01248 inches ± 10%	Wine, high-end beverages and gourmet food.
Adhesive: Fasson S692N - General Purpose	
Storage Temperature: 65° F	
Humidity: 50% RH	



Certified Media #: 14011

Vendor: Avery Dennison

Product Name: Fasson 60# Black Vellum/S100R/44#PK

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0048 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 44.5# (500 sheets 24" x 36") Caliper: 0.0032 inches \pm 10% Type: Natural Kraft
Additional Information Overall Thickness: 0.01248 inches \pm 10% Adhesive: Fasson S100R - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Notes Wine, high-end beverages and gourmet food. For use with white toner.



Certified Media #: 15001

Vendor: UPM Raflatac

Product Name: 50# Data RP51 40# White Kraft RP51 3.2 mil Hi-White Kraft*

Facestock	Liner #1
Weight: 50# ± 10%	Weight: 40# ± 10%
Caliper: 0.0040 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: 92%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Liner #2
Weight: 51# ± 10%
Caliper: 0.0032 inches ± 10%
Type: Hi-Brite White kraft

Additional Information	Notes
Overall Thickness: 0.0087 inches ± 10%	* Note: This material cannot be die-cut.
Adhesive #1 : RP51 - Permanent Adhesive	Kiss-cut and Continuous Rolls Only
Adhesive #2: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 16001

Vendor: UPM Raflatac

Product Name: Green Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0038 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 16002
Vendor: UPM Raflatac
Product Name: Pink Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# ± 10%	Weight: 40# ± 10%
Caliper: 0.0038 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	
Additional Information	Notes
Overall Thickness: 0.0061 inches ± 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 16003
Vendor: UPM Raflatac
Product Name: Chartreuse Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# ± 10%	Weight: 40# ± 10%
Caliper: 0.0038 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	

Additional Information	Notes
Overall Thickness: 0.0061 inches ± 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 16004
Vendor: UPM Raflatac
Product Name: Orange Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# ± 10%	Weight: 40# ± 10%
Caliper: 0.0038 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	

Additional Information	Notes
Overall Thickness: 0.0061 inches ± 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 16005
Vendor: UPM Raflatac
Product Name: Red Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0038 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 20013

Vendor: UPM Raflatac

Product Name: Polyjetlaser Matte Transparent RP37 3.8 mil White Kraft

Facestock	Liner
Weight: 30# \pm 10%	Weight: 62# \pm 10%
Caliper: 0.0026 inches \pm 10%	Caliper: 0.0038 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: 65%	
Opacity: 80%	

Additional Information	Notes
Overall Thickness: 0.0063 inches \pm 10%	Photo image quality
Adhesive: RP37 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 20014

Vendor: UPM Raflatac

Product Name: Polylaser Matte White Pro RP37 3.8 mil White Kraft

Facestock	Liner
Weight: 61# \pm 10%	Weight: 62# \pm 10%
Caliper: 0.0025 inches \pm 10%	Caliper: 0.0038 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.007 inches \pm 10%	
Adhesive: RP37 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 20016

Vendor: UPM Raflatac

Product Name: 1.7 mil Polylaser Matte Transparent RP37 3.2 mil White Kraft

Facestock	Liner
Weight: 38# ± 10%	Weight: 60# ± 10%
Caliper: 0.0017 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches ± 10%	
Adhesive: RP37 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 20017
Vendor: UPM Raflatac
Product Name: Polyjetlaser Gloss Clear RP37 3.8 mil White Kraft

Facestock	Liner
Weight: 40# ± 10%	Weight: 62# ± 10%
Caliper: 0.0020 inches ± 10%	Caliper: 0.0038 inches ± 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0063 inches ± 10%	
Adhesive: RP37 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 20018
Vendor: UPM Raflatac
Product Name: Polyjet WFGT RP37 3.4 mil White Kraft

Facestock	Liner
Weight: 38# ± 10%	Weight: 58# ± 10%
Caliper: 0.0031 inches ± 10%	Caliper: 0.0034 inches ± 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches ± 10%	
Adhesive: RP37 - Permanent Acrylic Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 20019

Vendor: UPM Raflatac

Product Name: Polylaser Matte White RP78 3.8 mil White Kraft

Facestock	Liner
Weight: 61# \pm 10%	Weight: 62# \pm 10%
Caliper: 0.0025 inches \pm 10%	Caliper: 0.0038 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0071 inches \pm 10%	
Adhesive: RP78 - Permanent Acrylic Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 21001

Vendor: UPM Raflatac

Product #: Polyjet Matte White PP RP51 3.2 mil White Kraft

Facestock	Liner
Weight: 0.004 inches \pm 10%	Weight: 52# \pm 10%
Brightness: N/A	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 95%	

Additional Information	Notes
Overall Thickness: 0.0077 inches \pm 10%	
Adhesive: Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 26003

Vendor: UPM Raflatac

Product #: Polyjetlaser Matte White Vinyl RP51 3.2 mil White Kraft

Facestock	Liner
Weight: 0.0045 inches \pm 10%	Weight: 52# \pm 10%
Brightness: N/A	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0083 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 26004

Vendor: UPM Raflatac

Product #: Polyjetlaser Matte White Vinyl RP37 3.2 mil White Kraft

Facestock	Liner
Weight: 0.0045 inches \pm 10%	Weight: 52# \pm 10%
Brightness: N/A	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0083 inches \pm 10%	
Adhesive: RP37 - Clear Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 28001

Vendor: MACTac

Product Name: 2 mil White PET/MP690/3.2 mil LF

Facestock	Liner
Weight: 44# ± 10%	Weight: 58# ± 10%
Caliper: 0.002 inches ± 10%	Caliper: 0.0034 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0062 inches ± 10%	This product conforms to Section 1, 2 and 3 of BS5609 Compliance.
Adhesive: MP690 - Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 28002

Vendor: MACtac

Product Name: 2.6 mil White BOPP/MP690/3.2 mil SCK

Facestock	Liner
Weight: 35# \pm 10%	Weight: 58# \pm 10%
Caliper: 0.0026 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: Super Calendared Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0068 inches \pm 10%	This product conforms to Section 1, 2 and 3 of BS5609 Compliance.
Adhesive: MP690 - Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 30002

Vendor: UPM Raflatac

Product Name: Jetgold RP54 3.4 mil White Kraft

Facestock	Liner
Weight: 60# \pm 10% (500 sheets 25" x 38") Caliper: 0.0036 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 58# \pm 10% (500 sheets 24" x 36") Caliper: 0.0034 inches \pm 10% Type: White Kraft
Additional Information Overall Thickness: 0.0075 inches \pm 10% Adhesive: RP54 - Permanent Adhesive Storage Temperature: 72°F Humidity: 50% RH	Notes



Certified Media #: 31002

Vendor: UPM Raflatac

Product Name: Jetsilver RP54 3.4 mil White Kraft

Facestock	Liner
Weight: 60# \pm 10% (500 sheets 25" x 38")	Weight: 58# \pm 10% (500 sheets 24" x 36")
Caliper: 0.0036 inches \pm 10%	Caliper: 0.0034 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0075 inches \pm 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	