



iColor 900 Certified Media List

Paper - Glossy				
Media #	Product Description	Product Name	Product #	Vendor
10002	Glossy White	#1112	#1112	Compose
10003	Glossy White	60# High Gloss Inkjet/PCT-524/40#SC	W013726	Wausa
10004	Glossy White	Kromekote® High Gloss	AA2602	MacTac
10006	Glossy White	57# Cast Coated Hi Gloss/720 All-Temp Adhesive/2.5ML White Kraft Liner	S7824560	Green Bay Packaging
10007	Glossy White w/ Black Barrier	Opaque 060KB/720 All-Temp Adhesive/2.5ML White Kraft Liner	S7754760	Green Bay Packaging
10008	Glossy White	#1312	#1312	Compose
10009	Glossy White	Kromekote® Xtra High Gloss	KX2602	MacTac
10010	Glossy White	57# Kromekote® Xtra High Gloss	057XG	Green Bay Packaging
10012	Glossy White	60# Encore Gloss	060EG	Green Bay Packaging
10013	Glossy White	3 mil Gloss VersaPly/R-2211/80#	W011204	Wausa
10014*	Glossy White	56# Lasergloss RP54 3.2 mil. Hi-White Kraft	LS154Z	UPM Raflatac
10015	Glossy White	Jetgloss Premium On-Demand RP51 2.8 mil White Kraft	LS236J	UPM Raflatac
10016	Glossy White	Jetgloss On-Demand RP51 2.8 mil White Kraft	LS235H	UPM Raflatac
10017	Glossy White	Castgloss RP51 40# White Kraft	PL334D	UPM Raflatac
10018	Glossy White	Castgloss RP48AT 40# White Kraft	PL335E	UPM Raflatac
10019	Glossy White	Raflagloss RP51 40# White Kraft	PL27D	UPM Raflatac

Paper - Matte				
Media #	Product Description	Product Name	Product #	Vendor
11001	Matte White	MACjet Ink Jet	NI1844	MacTac
11002	Matte White	#1213	#1213	Compose
11003	Matte White	Thermal Transfer/PCT-241 Blockout/40#SC	W000029	Wausau
11004	Matte White	50# EDP/700 Permanent Adhesive/3.2ML White Kraft	S7032060	Green Bay Packaging
11005	Matte White	50# Super Bright Laser Jet/758M Adhesive/53# Coated One Side Kraft	S8043160	Green Bay Packaging
11006	Matte White	Laser Bright/758M Adhesive/53# Coated One Side Kraft Liner	S7846760	Green Bay Packaging
11007	Matte White	Fasson LaserCopy Jet 300/S9010N/46#LF	18884	Avery Dennison
11011	Matte White	55# Matte C1S Litho	S7815260	Green Bay Packaging
11012	Matte White	60# Dull Litho/504 Perm Adhesive/2.5ML White Kraft	S7754060	Green Bay Packaging
11013	Matte White	Fasson® LaserCopy Jet 300/S9020N/46#LF	18884	Avery Dennison
11016	Matte White	Majestic Matte Litho	AP9512LF	MacTac
11018*	Matte White	Latex Impregnated RR22 3.2 mil Hi-White Kraft	LS128W	UPM Raflatac
11019*	Matte White	Matte Laser RP54 3.2 mil Hi-White Kraft	LS164K	UPM Raflatac
11020*	Matte White	54# Laser RP51 3.2 mil Hi-White Kraft	LS153Y	UPM Raflatac
11022	Matte White	50# Jetlaser RP54 2.8mil White Kraft	LS21D	UPM Raflatac
11023	Matte White	Jetcolor RP54 2.8 mil White Kraft	LS111C	UPM Raflatac

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.

11024	Matte White	50# Laser Plus RP54 2.8 mil White Kraft	LS158D	UPM Raflatac
11026	Matte White	Matte Litho RP51 40# White Kraft	PL33K	UPM Raflatac
11027*	Matte Translucent	Jetlaser Translucent RP54 3.2 mil Hi-White Kraft	LS191N	UPM Raflatac
11028	Matte White	Fasson Uncoated Litho WS/AT20N/1.2M PET	19993	Avery Dennison

Paper - Semigloss				
Media #	Product Description	Product Name	Product #	Vendor
12001	Semigloss White	MacTac Platinum SemiGloss/ST95/3.2SCK	AP9502	MacTac
12002	Semigloss White	60# Semi Gloss/PCT-241/40# SC	W008663	Wausau
12003	Semigloss White	55# Semi Gloss/720 All-Temp Adhesive/2.5ML White Kraft	S7724460	Green Bay Packaging
12004	Semigloss White	Platinum Semi Gloss	AC9512LF	MacTac
12005	Semigloss White	55# Digital Semigloss/751 Permanent Adhesive/2.5ML White Kraft	S8126960	Green Bay Packaging
12006*	Semigloss White	Mid-Gloss Laser Brite RP54 3.2 mil. Hi-White Kraft	LS86A	UPM Raflatac
12008	Semigloss White	Pharmagloss RP31 2.1 mil Honey Glassine	PL72C	UPM Raflatac
12009	Semigloss White	Transfer Premium Plus XR13 40# White Kraft	SP072C	UPM Raflatac
12010	Semigloss White	54# Raflacoat RP51 40# White Kraft	PL38Q	UPM Raflatac
12011	Semigloss White	Raflasilk Opaque RP51 40# White Kraft	PL91Y	UPM Raflatac
12012*	Semigloss White	Mid-Gloss Laser DM RP54 3.2 mil Hi-White Kraft	LS230C	UPM Raflatac
12013	Semigloss White	60# Raflacoat Pro RP51 40# White Kraft	PL322R	UPM Raflatac
12014	Semigloss White	60# Raflacoat Pro RP48AT 40# White Kraft	PL323S	UPM Raflatac
12015	Semigloss White	Raflasilk RP51 40# White Kraft	PL59N	UPM Raflatac
12016	Semigloss White	54# Raflacoat IL RP51 40# White Kraft	IL26D	UPM Raflatac

Paper - Tag Stock				
Media #	Product Description	Product Name	Product #	Vendor
13001	Tag White	10 Pt. C1S Carolina® BRT 94	19236	Avery Dennison
13002	Tag White	100# C1S Semi Gloss	C1-1422	Contract Converting
13003	Tag White	8 pt. C1S Tag	AL9512	MacTac
13004	Tag White	8 pt. C1S Tag	AL9502	MacTac
13005	Tag White	Fasson® Radid-Roll 8pt. C1S Carta Integra (Galerie Card)	16949	Avery Dennison
13006	Tag White	8pt Tag C2S/504 Permanent Adhesive/2.5 ML White Kraft	S9941860	Green Bay Packaging
13007	Tag White	8 pt. C1S Carolina Tag RP51 40# White Kraft	PL110T	UPM Raflatac

Paper - Textured				
Media #	Product Description	Product Name	Product #	Vendor
14001	Texture Cream	Estate #9 RW110F 44# PK	WL38S	UPM Raflatac
		Fasson Estate Label #9/S100R/44#PK	11301	Avery Dennison
14002	Texture Cream	Estate #8 RW110F 44# PK	WL35P	UPM Raflatac
		Fasson Estate Label #8/S100R/44#PK	02394	Avery Dennison

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



14003	Texture Cream	Estate #4 RW110F 44# PK	WL32L	UPM Raflatac
		Fasson Estate Label #4/S100R/1.2PET	19639	Avery Dennison
14004	Texture Cream	Fasson 70# Eggshell Felt WS/S100R-B/44#PK	19203	Avery Dennison
14005	Texture White	Fasson 70# Royal White WS/S100R-B*/1.2M PET	53243	Avery Dennison
14006	Texture White	Fasson 70# Bright White Felt WS/S100R-B/44#PK	19917	Avery Dennison
14007	Texture White	Fasson Classic Crest/S100R/1.2M PET	19657	Avery Dennison
14008	Texture White	Fasson Classic Linen/S100R/44PK	12571	Avery Dennison
14009	Texture Birch	Fasson Birch Wood/AT20N/40#SCK	53252	Avery Dennison
14010	Texture Cherry	Fasson Cherry Wood/S692N/1.2M PET	53253	Avery Dennison
14011	Texture Black	Fasson 60# Black Vellum/S100R/44#PK	16256	Avery Dennison

Paper - Piggyback				
Media #	Product Description	Product Name	Product #	Vendor
15001	Piggyback - Paper	50# Data RP51 40# White Kraft RP51 40# White Kraft	UM13R	UPM Raflatac
15002	Piggyback - Paper	54# Raflacoat RP51 40# White Kraft RP51 40# White Kraft	CM16U	UPM Raflatac

Paper - Fluorescent				
Media #	Product Description	Product Name	Product #	Vendor
16001	Fluorescent Green	Green Fluorescent RP51 40# White Kraft	FL04F	UPM Raflatac
16002	Fluorescent Pink	Pink Fluorescent RP51 40# White Kraft	FL10M	UPM Raflatac
16003	Fluorescent Chartreuse	Chartreuse Fluorescent RP51 40# White Kraft	FL01C	UPM Raflatac
16004	Fluorescent Orange	Orange Fluorescent RP51 40# White Kraft	FL07J	UPM Raflatac
16005	Fluorescent Red	Red Fluorescent RP51 40# White Kraft	FL13Q	UPM Raflatac
16006	Fluorescent Green	57# Green Fluorescent/756 Permanent Adhesive/3.2mm White Kraft Liner	S7850760	Green Bay Packaging
16007	Fluorescent Blue	57# Blue Fluorescent/720 Air-Temp Adhesive/2.5mm White Kraft Liner	S8122860	Green Bay Packaging
16008	Fluorescent Pink	57# Pink Fluorescent/720 Air-Temp Adhesive/2.5mm White Kraft Liner	S8034360	Green Bay Packaging
16009	Fluorescent Red	Red Fluorescent Pricemark/AT333/40#SCK L-3	9725	Technicote
16010	Fluorescent Red	57# Red Fluorescent/720 Air-Temp Adhesive/2.5mm White Kraft Liner	S6066060	Green Bay Packaging
16011	Fluorescent Yellow	57# Yellow Fluorescent/720 Air-Temp Adhesive/2.5mm White Kraft Liner	S6237060	Green Bay Packaging
16012	Fluorescent Orange	57# Orange Fluorescent/720 Air-Temp Adhesive/2.5mm White Kraft Liner	S6235060	Green Bay Packaging

Plastic - PET				
Media #	Description	Product Name	Product #	Vendor
20001	Matte White	Laser Matte White Polyester	FPE22WH-R60	Brandmark Inc
20002	Matte White	Poly 2050	FPE20PS-030	Brandmark Inc
20003	Matte Transparent	MACjet® Matte Clear Ink Jet	JMC8011	MacTac
20004	Glossy Clear	Economy Clear Polyester	FPE20CL-A50	Brandmark Inc
20005	Matte White	MACcopy® White PET Laser	LWP8010	MacTac

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



20006	Glossy White	Economy White Polyester	FPE20WH-A50	Brandmark Inc
20007	Matte White	SuperLzr™ White Matte Polyester	500046	AzCoat
20008	Glossy White	SuperLzr™ White Glossy Polyester	500047	AzCoat
20009	Glossy Clear	SuperLzr™ Clear Glossy Polyester	500049	AzCoat
20010	Clear	1 mil Clear PET/MP690/3.2mil SCK	FAB6914	MacTac
20011	White	Polyester Permanent Adhesive	Stock #189	DigiFlex Distribution
20012	Matte Clear	SuperLzr™ Clear Soft Matte Polyester	500048	AzCoat
20013	Matte Transparent	Polyjetlaser Matte Transparent RP37 3.8 mil White Kraft	LS274Y	UPM Raflatac
20014	Matte White	Polylaser Matte White Pro RP37 3.8 mil White Kraft	LS266Q	UPM Raflatac
20016	Matte Transparent	1.7 mil Polyjetlaser Matte Transparent RP37 3.2 mil White Kraft	LS27K	UPM Raflatac
20018	White	Polyjet WFGT RP37 3.4 mil White Kraft	SY819V	UPM Raflatac
20019	Matte White	Polylaser Matte White RP78 3.8 mil White Kraft	LS267R	UPM Raflatac

Plastic - Polyolefin				
Media #	Product Description	Product Name	Product #	Vendor
21001	White	Polyjet Matte White PP RP51 3.2 mil White Kraft	SY847Z	UPM Raflatac

Plastic - Vinyl				
Media #	Product Description	Product Name	Product #	Vendor
26001	White	Laser Vinyl	FVL40WH-T74	Brandmark Inc
26002	Matte White	Fasson® LaserCode Drum Label TC/S4600/79#MF	78037	Avery Dennison
26003	White	Polyjetlaser Matte White Vinyl RP51 3.2 mil White Kraft	SY834L	UPM Raflatac
26004	White	Polyjetlaser Matte White Vinyl RP37 3.2 mil White Kraft	SY823Z	UPM Raflatac

Plastic - Synthetic				
Media #	Product Description	Product Name	Product #	Vendor
27001	White	7 Mil Teslin/R-7165/80# w/ST-120 BKS	W008424	Wausau Coated Products

Foil				
Media #	Product Description	Product Name	Product #	Vendor
30001	Gold Foil	Laser LAM Foil	YC3250/KC3250	Diversified Labeling Solutions
31001	Silver Foil	Laser LAM Foil	YC3250/KC3250	Diversified Labeling Solutions

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Fabric				
Media #	Product Description	Product Name	Product #	Vendor
40001	Fabric-White-NDC	641HM2MC-140K		Chiasa

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10002

Vendor: Compose

Product Name: #1112

Facestock	Liner
Weight: 54# ± 10%	Weight: 42# ± 10%
Caliper: 0.0031 inches ±10%	Caliper: 0.0022 inches ± 10%
Brightness: 87%	Type: White
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0065 inches ± 10%	
Adhesive: RP51 - Acrylic Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10003

Vendor: Wausau

Product Name: Wausau 60# High Gloss Inkjet/PCT-524/40#SC

Facestock	Liner
Weight: 57.4# ± 10%	Weight: 44.7# ± 10%
Caliper: 0.0042 inches ±10%	Caliper: 0.0025 inches ± 10%
Brightness: 93%	Type: Supercalendered bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0065 inches ± 10%	Photo quality paper with excellent water fastness properties.
Adhesive: PCT-524	
Storage Temperature: 72° F	
Humidity: 50% RH	Regulatory Compliances: FDA 21 CFR 175.105, FDA 21 CFR 176.170, CONEG, Heavy Metals, ASTM F963a Child Toy Safety, and NAFTA

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10004
Vendor: MacTac
Product Name: Kromekote® High Gloss

Facestock	Liner
Weight: 60# ± 10%	Weight: 44# ± 10%
Caliper: 0.0040 inches ±10%	Caliper: 0.0031 inches ± 10%
Brightness: 90%	Type: Natural Kraft/Polypropylene
Smoothness: N/A	
Gloss: 75%	
Opacity: 90%	
Additional Information	Notes
Overall Thickness: 0.0065 inches ± 10%	Regulatory Compliance: FDA 21 CFR 175.105
Adhesive: 747 - Acrylic Emulsion	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10006

Vendor: Green Bay Packaging

Product Name: 57# Cast Coated Hi Gloss/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 57.4# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0037 inches \pm 10%	(500 sheets 24" x 36")
Brightness: 84%	Caliper: 0.00245 inches \pm 10%
Smoothness: N/A	Type: White kraft
Gloss: 86%	
Opacity: 90%	
Additional Information	Notes
Overall Thickness: 0.0069 inches \pm 10%	Recommended for many different types of packaging plastics and materials.
Adhesive: Cold Temperature Acrylic Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10007

Vendor: Green Bay Packaging

Product Name: Opaque060KB/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 63.5# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0040 inches \pm 10%	(500 sheets 24" x 36")
Brightness: 84%	Caliper: 0.00245 inches \pm 10%
Smoothness: N/A	Type: White kraft
Gloss: 86%	
Opacity: 99% Minimum	
Additional Information	Notes
Overall Thickness: 0.0063 inches \pm 10%	Material has opaque barrier.
Adhesive: Cold temperature acrylic adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10008

Vendor: Compose

Product Name: #1312

Facestock	Liner
Weight: 42# \pm 10%	Weight: 42# \pm 10%
Caliper: 0.0026 inches \pm 10%	Caliper: 0.0022 inches \pm 10%
Brightness: 90%	Type: White
Smoothness: N/A	
Gloss: N/A	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0065 inches \pm 10%	
Adhesive: RP51 Acrylic Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 10009
Vendor: MacTac
Product Name: Kromekote Xtra High Gloss

Facestock	Liner
Weight: 63.5# ± 10%	Weight: 40# ± 10%
Caliper: 0.0040 inches ± 10%	(500 sheets 24" x 36")
Brightness: 90%	Caliper: 0.00245 inches ± 10%
Smoothness: N/A	Type: Semi-bleached calendared kraft
Gloss: 95%	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.006 inches ± 10%	Regulatory Compliance: FDA 21CFR 175.105
Adhesive: 640AT - acrylic adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	For prime labeling applications requiring an exceptionally high gloss level applied at various temperatures. Markets include: food, cosmetic, toiletries and beverage.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10010
Vendor: Green Bay Packaging
Product Name: 57# Kromekote Xtra High Gloss

Facestock	Liner
Weight: 57# ± 10%	Weight: 44# ± 10%
Caliper: 0.0040 inches ± 10%	(500 sheets 24" x 36")
Brightness: 90%	Caliper: 0.0031 inches ± 10%
Smoothness: N/A	Type: Natural kraft/Polypropylene
Gloss: 95%	
Opacity: 90%	
Additional Information	Notes
Overall Thickness: 0.007 inches ± 10%	Adhesive has excellent water whitening resistance and adheres well to low-surface-energy plastics.
Adhesive: 111 - Acrylic Emulsion	
Storage Temperature: 72° F	
Humidity: 50% RH	Regulatory Compliance: FDA 21 CFR 175.105

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10012
Vendor: Green Bay Packaging
Product Name: 60# Encore Gloss

Facestock	Liner
Weight: 60.8# \pm 10%	Weight: 45# \pm 10%
Caliper: 0.0029 inches \pm 10%	(500 sheets 24" x 36")
Brightness: 95%	Caliper: 0.0028 inches \pm 10%
Smoothness: N/A	Type: White kraft
Gloss: 86%	
Opacity: 87%	
Additional Information	Notes
Overall Thickness: 0.007 inches \pm 10%	For images that require high resolution of photo quality level.
Adhesive: RP54	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10013

Vendor: Wausau

Product Name: Wausau 3 mil Gloss VersaPly/R-2211/80#

Facestock	Liner
Weight: 58# \pm 10%	Weight: 77# \pm 10%
Caliper: 0.0031 inches \pm 10%	(500 sheets 25" x 38")
Brightness: 87%	Caliper: 0.005 inches \pm 10%
Smoothness: N/A	Type: White kraft
Gloss: 75%	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.008 inches \pm 10%	Wet strength properties for enhanced performance in moist and wet environments.
Adhesive: R-2211	Regulatory Compliance: FDA 21 CFR 175.10, CONEG and RoHS
Storage Temperature: 72° F	End uses may include: shelf marking, drum labels, horticulture tags, and beverage label applications.
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10014*

Vendor: UPM Raflatac

Product Name: 56# Lasergloss RP54 3.2 mil Hi-White Kraft

Facestock	Liner
Weight: 54# ± 10%	Weight: 53# ± 10%
Caliper: 0.00310 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: 89%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: 41%	
Opacity: 92%	
Additional Information	Notes
Overall Thickness: 0.0076 inches ± 10%	* Note: This material cannot be die-cut.
Adhesive: RP54 - Emulsion Acrylic	Kiss-cut and Continuous Rolls Only
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10015

Vendor: UPM Raflatac

Product Name: Jetgloss Premium On-Demand RP51 2.8mil White Kraft

Facestock	Liner
Weight: 121# ± 10%	Weight: 47# ± 10%
Caliper: 0.0041 inches ± 10%	Caliper: 0.0028 inches ± 10%
Brightness: 96%	Type: White Kraft
Smoothness: N/A	
Gloss: 75%	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0074 inches ± 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10016
Vendor: UPM Raflatac
Product Name: Jetgloss On-Demand RP51 2.8mil White Kraft

Facestock	Liner
Weight: 59# ± 10%	Weight: 47# ± 10%
Caliper: 0.0041 inches ± 10%	Caliper: 0.0028 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: 45%	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0075 inches ± 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10017

Vendor: UPM Raflatac

Product Name: Castgloss RP51 40# White Kraft

Facestock	Liner
Weight: 54# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0031 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: 91%	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10018
Vendor: UPM Raflatac
Product Name: Castgloss RP48AT 40# White Kraft

Facestock	Liner
Weight: 54# ± 10%	Weight: 40# ± 10%
Caliper: 0.0031 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: 91%	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: 0.0061 inches ± 10%	
Adhesive: RP48AT - All Temperature	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 10019

Vendor: UPM Raflatac

Product Name: Raflagloss RP51 40# White Kraft

Facestock	Liner
Weight: 54# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0025 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 90%	Type: White Kraft
Smoothness: N/A	
Gloss: 90%	
Opacity: 86%	

Additional Information	Notes
Overall Thickness: 0.0054 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 11001
Vendor: MacTac
Product Name: MACjet Ink Jet

Facestock	Liner
Weight: 52# \pm 10% (500 sheets 25" x 38") Caliper: 0.0040 inches \pm 10% Brightness: 92% Smoothness: 110 Gloss: N/A Opacity: 91.4%	Weight: 40# \pm 10% (500 sheets 24" x 36") Caliper: 0.0025 inches \pm 10% Type: Semi-bleached kraft

Additional Information	Notes
Overall Thickness: 0.0065 inches \pm 10% Adhesive: MP-910 Storage Temperature: 72° F Humidity: 50% RH	Applications include inventory tags, address, audio/video cassettes, computer disk and CD/R, file folder, shipping/receiving, pricing, order picking, routing, retail point-of-sale, and industrial work. Regulatory Compliance: CONEG



Certified Media #11002

Vendor: Compose

Product Name: 1213

Facestock	Liner
Weight: 46# $\pm 10\%$	Weight: 42# $\pm 10\%$
Caliper: 0.0026 inches $\pm 10\%$	Caliper: 0.0022 inches $\pm 10\%$
Brightness: 90%	Type: White
Smoothness: N/A	
Gloss: N/A	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.005 inches $\pm 10\%$	
Adhesive: RP51 Acrylic Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #11003

Vendor: Wausau

Product Name: Wausau Thermal Transfer/PCT-241 Blockout/40#SC

Facestock	Liner
Weight: 44# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.002 inches \pm 10%	(500 sheets 25" x 38")
Brightness: 86.5%	Caliper: 0.0024 inches \pm 10%
Smoothness: N/A	Type: Supercalendered bleached kraft
Gloss: N/A	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0054 inches \pm 10%	Excellent adhesion to a variety of substrates including corrugated, rigid plastics, films, glass
Adhesive: PCT-241 Blockout	
Storage Temperature: 72°F	
Humidity: 50% RH	Complies with Indirect Food 21 CFR 176.170, 21 CFR 176.180, California Proposition 65,



Certified Media #: 11004
Vendor: Green Bay Packaging
Product Name: 50# EDP/700 Permanent Adhesive/3.2ML White Kraft Liner

Facestock	Liner
Weight: 50# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.0035 inches \pm 10%	Caliper: 0.0032 \pm 10%
Brightness: 92%	Type: White kraft
Smoothness: 110 cc/min	
Gloss: N/A	
Opacity: 86%	
Additional Information	Notes
Overall Thickness: 0.0069 inches \pm 10%	
Adhesive: General purpose acrylic emulsion	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 11005

Vendor: Green Bay Packaging

Product Name: 50# Super Bright Laser Jet/758M Adhesive/53# Coated One Side Kraft Liner

Facestock	Liner
Weight: 50.8# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.0040 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 93.5%	Type: White kraft
Smoothness: 160 mL/min	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0072 inches \pm 10%	Regulatory Compliance: FDA 21 CFR 175.10
Adhesive: 758M - General purpose acrylic	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 11006

Vendor: Green Bay Packaging

Product #: Laser Bright/758M Adhesive/53# Coated One Side Kraft Liner

Facestock	Liner
Weight: 50# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.0039 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 92%	Type: White kraft
Smoothness: 110 mL/min	
Gloss: N/A	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0073 inches \pm 10%	
Adhesive: 758M - General purpose acrylic	
Storage Temperature: 72°F	
Humidity: 50% RH	



Certified Media #: 11007

Vendor: Avery Dennison

Product Name: Fasson LaserCopy Jet 300/S9010N/46#LF

Facestock	Liner
Weight: 48# \pm 10% (500 sheets 25" x 38") Caliper: 0.0037 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 46# \pm 10% (500 sheets 24" x 36") Caliper: 0.00335 inches \pm 10% Type: White Kraft
Additional Information	Notes
Overall Thickness: 0.00755 inches \pm 10% Adhesive: S9010N Storage Temperature: 72° F Humidity: 50% RH	



Certified Media #: 11011
Vendor: Green Bay Packaging
Product #: 55# Matte C1S Litho

Facestock	Liner
Weight: 55# \pm 10%	Weight: 44# \pm 10%
Caliper: 0.0039 inches \pm 10%	(500 sheets 24" x 36")
Brightness: 92%	Caliper: 0.0031 inches \pm 10%
Smoothness: 2.0 μ m	Type: Natural Kraft/Polypropylene
Gloss: 12%	
Opacity: 91%	

Additional Information	Notes
Overall Thickness: 0.0065 inches \pm 10%	Regulatory Compliance: FDA 21 CFR 175.105
Adhesive: 747 - Acrylic Emulsion	
Storage Temperature: 65°F	Recommended for many different types of
Humidity: 50% RH	packaging plastics and materials.



Certified Media #: 11012

Vendor: Green Bay Packaging

Product #: 60# Dull Litho/504 Permanent Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 60# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0030 inches \pm 10%	(500 sheets 24" x 36")
Brightness: 88%	Caliper: 0.00245 inches \pm 10%
Smoothness: N/A	Type: White kraft
Gloss: 35%	
Opacity: 93%	

Additional Information	Notes
Overall Thickness: 0.0067 inches \pm 10%	Regulatory Compliance: FDA 21 CFR 175.105
Adhesive: General Purpose Acrylic Emulsion	
Storage Temperature: 65°F	Recommended for many different types of
Humidity: 50% RH	packaging plastics and materials.



Certified Media #: 11013
Vendor: Avery Dennison
Product #: Fasson LaserCopy Jet 300/S9020N/46#LF

Facestock	Liner
Weight: 50# ± 10%	Weight: 46# ± 10%
Caliper: 0.0034 inches ± 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.00335 inches ± 10%
Smoothness: N/A	Type: White Kraft
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0075 ± 10%	Regulatory Compliance: FDA 21 CFR 175.105
Adhesive: Fasson S9010N	
Storage Temperature: 65°F	Excellent for applications requiring variable information, such as inventory, order picking and instruction labels.
Humidity: 50% RH	



Certified Media #: 11016
Vendor: MacTac, DigiFlex Distribution
Product #: Majestic Matte Litho

Facestock	Liner
Weight: 60# ± 10%	Weight: 50# ± 10%
Caliper: 0.0038 inches ± 10%	(500 sheets 24" x 36")
Brightness: 88%	Caliper: 0.0032 inches ± 10%
Smoothness: N/A	Type: White densified kraft
Gloss: 12%	
Opacity: 92%	
Additional Information	Notes
Overall Thickness: 0.006 ± 10%	Regulatory Compliances: FDA 21 CFR 175.105,
Adhesive: ST95 - Permanent acrylic emulsion	FDA 21 CFR 176.170, CONEG, Heavy Metals and
Storage Temperature: 72°F	ASTM F963a Child Toy Safety
Humidity: 50% RH	



Certified Media #: 11018*

Vendor: UPM Raflatac

Product Name: Latex Impregnated RR22 3.2 mil. Hi-White Kraft

Facestock	Liner
Weight: 60# ± 10%	Weight: 53# ± 10%
Caliper: 0.0035 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: 89%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: 50%	
Opacity: 84%	

Additional Information	Notes
Overall Thickness: 0.0072 inches ± 10%	* Note: This material cannot be die-cut.
Adhesive: RR22 - Removable Adhesive	Kiss-cut and Continuous Rolls Only
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 11019*

Vendor: UPM Raflatac

Product Name: Matte Laser RP54 3.2 mil Hi-White Kraft

Facestock	Liner
Weight: 50# ± 10%	Weight: 53# ± 10%
Caliper: 0.0029 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: 90%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0066 inches ± 10%	For multi-purpose labeling.
Adhesive: RP54 - Emulsion Acrylic	
Storage Temperature: 72° F	
Humidity: 50% RH	* Note: This material cannot be die-cut. Kiss-cut and Continuous Rolls Only



Certified Media #: 11020*

Vendor: UPM Raflatac

Product Name: 54# Laser RP51 3.2 mil Hi-Brite White Kraft

Facestock	Liner
Weight: 54# ± 10%	Weight: 51# ± 10%
Caliper: 0.004 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: 94%	Type: Hi-Brite White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	
Additional Information	Notes
Overall Thickness: 0.0077 inches ± 10%	* Note: This material cannot be die-cut. Kiss-cut and Continuous Rolls Only
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11022

Vendor: UPM Raflatac

Product Name: 50# Jetlaser RP54 2.8mil White Kraft

Facestock	Liner
Weight: 47# \pm 10%	Weight: 45# \pm 10%
Caliper: 0.0035 inches \pm 10%	Caliper: 0.0028 inches \pm 10%
Brightness: 89%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: 0.0067 inches \pm 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11023
Vendor: UPM Raflatac
Product Name: Jetcolor RP54 2.8 mil White Kraft

Facestock	Liner
Weight: 47# ± 10%	Weight: 45# ± 10%
Caliper: 0.0036 inches ± 10%	Caliper: 0.0028 inches ± 10%
Brightness: 104%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0069 inches ± 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11024

Vendor: UPM Raflatac

Product Name: 50# Laser Plus RP54 2.8 mil. White Kraft

Facestock	Liner
Weight: 47# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0036 inches \pm 10%	Caliper: 0.0028 inches \pm 10%
Brightness: 93.6%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0069 inches \pm 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11026
Vendor: UPM Raflatac
Product Name: Matte Litho RP51 40# White Kraft

Facestock	Liner
Weight: 47# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0029 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 85%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0060 inches \pm 10%	
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	



Certified Media #: 11027

Vendor: UPM Raflatac

Product Name: Jetlaser Translucent RP54 3.2 mil Hi-White Kraft*

Facestock	Liner
Weight: 42# ± 10%	Weight: 53# ± 10%
Caliper: 0.0020 inches ± 10%	Caliper: 0.0032 inches ± 10%
Transparency: 77%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0057 inches ± 10%	* Note: This material cannot be die-cut.
Adhesive: RP54 - Permanent Adhesive	Kiss-cut and Continuous Rolls Only
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 11028

Vendor: Avery Dennison

Product #: Fasson Uncoated Litho WS/AT20N/1.2M PET

Facestock	Liner
Weight: 60# \pm 10%	Weight: N/A
Caliper: 0.0045 inches \pm 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.00118 inches \pm 10%
Smoothness: N/A	Type: 1.2 mil polyester
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.00648 inches \pm 10%	Regulatory Compliance: FDA 21 CFR 175.105
Adhesive: AT20N - All Temperature	
Storage Temperature: 65°F	
Humidity: 50% RH	



Certified Media #: 12001

Vendor: MacTac

Product: MacTac Platinum SemiGloss/ST95/3.2SCK

Facestock	Liner
Weight: 59# ± 10%	Weight: 40# ± 10%
Caliper: 0.0030 inches ± 10%	Caliper: 0.00245 inches ± 10%
Brightness: 89%	Type: Semi-bleached calendared kraft
Smoothness: N/A	
Gloss: 75%	
Opacity: 86%	

Additional Information	Notes
Overall Thickness: N/A	For prime labeling applications in a number of markets: food, cosmetic, beverage, household cleaners and more.
Adhesive: ST95-Permanent acrylic emulsion	
Storage Temperature: 72° F	
Humidity: 50% RH	Regulatory compliance: FDA 21 CFR 176.170, FDA 21 CFR 176.180, and FDA 21 CFR 175.105

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12002

Vendor: Wausau

Product #: 60# Semi Gloss/PCT-241/40# SC

Facestock	Liner
Weight: 60# \pm 10%	Weight: 44.7# \pm 10%
Caliper: 0.0030 inches \pm 10%	Caliper: 0.0025 inches \pm 10%
Brightness: 90%	Type: Supercalendered bleached kraft
Smoothness: N/A	
Gloss: 71%	
Opacity: 91%	

Additional Information	Notes
Overall Thickness: 0.0057 inches \pm 10%	Good adhesion when applied to glass, metal, polyethylene and many other plastics.
Adhesive: PCT-241	
Storage Temperature: 72° F	Regulatory Compliance: 21 CFR 176.170, 21 CFR 176.180, CONEG, ASTM F963-96a Safety, RoHS, Reach, Acute Oral Toxicity 16 CFR 1500.3, Primary Skin Irritant 16 CFR 1500.41
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12003

Vendor: Green Bay Packaging

Product: 55# Semi Gloss/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 55# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0029 inches \pm 10%	Caliper: 0.00245 inches \pm 10%
Brightness: 89%	Type: White Densified Kraft
Smoothness: N/A	
Gloss: 73%	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.005 inches \pm 10%	Adhesive is considered repositionable and for
Adhesive: Cold temperature acrylic adhesive	general purpose labeling.
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12004
Vendor: MacTac
Product #: Platinum Semi Gloss

Facestock	Liner
Weight: 59# \pm 10%	Weight: 50# \pm 10%
Caliper: 0.0030 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 89%	Type: Semi-bleached calendared kraft
Smoothness: N/A	
Gloss: 75%	
Opacity: 86%	

Additional Information	Notes
Overall Thickness: 0.0071 inches \pm 10%	Regulatory Compliance: ASTM F963-96a,
Adhesive: ST95 - acrylic emulsion	Hasbro SRS-012 Rev F, FDA 176.180, USDA
Storage Temperature: 72° F	176.170
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12005

Vendor: Green Bay Packaging

Product #: 55# Digital Smigloss/751 Permanent Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 55# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0032 inches \pm 10%	Caliper: 0.00245 inches \pm 10%
Brightness: 87%	Type: White kraft
Smoothness: 1.0	
Gloss: 62%	
Opacity: 89%	

Additional Information	Notes
Overall Thickness: 0.0057 inches \pm 10%	
Adhesive: General purpose acrylic emulsion	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12006
Vendor: UPM Raflatac
Product Name: Mid-Gloss Laser Brite RP54 3.2 mil. Hi-White Kraft*

Facestock	Liner
Weight: 57# ± 10%	Weight: 53# ± 10%
Caliper: 0.0028 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: 92%	Type: Hi-White kraft
Smoothness: N/A	
Gloss: 78%	
Opacity: 89%	

Additional Information	Notes
Overall Thickness: 0.0064 inches ± 10%	Designed for premium image quality.
Adhesive: RP54 - Permanent Adhesive	
Storage Temperature: 72° F	* Note: This material cannot be die-cut.
Humidity: 50% RH	Kiss-cut and Continuous Rolls Only

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12008
Vendor: UPM Raflatac
Product Name: Pharmagloss RP31 2.1 mil Honey Glassine

Facestock	Liner
Weight: 44# ± 10%	Weight: 37# ± 10%
Caliper: 0.0023 inches ± 10%	Caliper: 0.0021 inches ± 10%
Brightness: 88%	Type: Honey Glassine
Smoothness: N/A	
Gloss: 72%	
Opacity: 85%	

Additional Information	Notes
Overall Thickness: 0.0048 inches ± 10%	
Adhesive: RP31 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12009
Vendor: UPM Raflatac
Product Name: Transfer Premium Plus XR13 40# White Kraft

Facestock	Liner
Weight: 43# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0029 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 85%	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0059 inches \pm 10%	
Adhesive: XR13 - Emulsion Acrylic	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12010

Vendor: UPM Raflatac

Product Name: 54# Raflacoat RP51 40# White Kraft

Facestock	Liner
Weight: 54# $\pm 10\%$	Weight: 40# $\pm 10\%$
Caliper: 0.0026 inches $\pm 10\%$	Caliper: 0.0024 inches $\pm 10\%$
Brightness: 87%	Type: White Kraft
Smoothness: N/A	
Gloss: 72%	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0055 inches $\pm 10\%$	
Adhesive: RP51 - Acrylic Dispersion	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12011
Vendor: UPM Raflatac
Product Name: Raflasilk Opaque RP51 40# White Kraft

Facestock	Liner
Weight: 57# \pm 10%	Weight: 42# \pm 10%
Caliper: 0.0028 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 89%	Type: White Kraft
Smoothness: N/A	
Gloss: 78%	
Opacity: 99%	

Additional Information	Notes
Overall Thickness: 0.0059 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12012

Vendor: UPM Raflatac

Product Name: Mid Gloss Laser DM RP54 3.2 mil Hi-White Kraft*

Facestock	Liner
Weight: 54# ± 10%	Weight: 53# ± 10%
Caliper: 0.0027 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: 89%	Type: White Kraft
Smoothness: N/A	
Gloss: 75%	
Opacity: 86%	

Additional Information	Notes
Overall Thickness: 0.0064 inches ± 10%	* Note: This material cannot be die-cut.
Adhesive: RP54 - Permanent Adhesive	Kiss-cut and Continuous Rolls Only
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12013

Vendor: UPM Raflatac

Product Name: 60# Raflacoat Pro RP51 40# White Kraft

Facestock	Liner
Weight: 60# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0032 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 90%	Type: White Kraft
Smoothness: N/A	
Gloss: 70%	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12014

Vendor: UPM Raflatac

Product Name: 60# Raflacoat Pro RP48AT 40# White Kraft

Facestock	Liner
Weight: 60# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0032 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 90%	Type: White Kraft
Smoothness: N/A	
Gloss: 70%	
Opacity: 87%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12015
Vendor: UPM Raflatac
Product Name: Raflasilk RP51 40# White Kraft

Facestock	Liner
Weight: 57# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0028 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 92%	Type: White Kraft
Smoothness: N/A	
Gloss: 78%	
Opacity: 89%	

Additional Information	Notes
Overall Thickness: 0.0059 inches \pm 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 12016

Vendor: UPM Raflatac

Product Name: 54# Raflacoat IL RP51 40# White Kraft

Facestock	Liner
Weight: 54# $\pm 10\%$	Weight: 40# $\pm 10\%$
Caliper: 0.0031 inches $\pm 10\%$	Caliper: 0.0024 inches $\pm 10\%$
Brightness: 87%	Type: White Kraft
Smoothness: N/A	
Gloss: 60%	
Opacity: 86%	

Additional Information	Notes
Overall Thickness: 0.006 inches $\pm 10\%$	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 13001
Vendor: Avery Dennison
Product #: 10 Pt. C1sS Carolina BRT 94

Facestock	Liner
Weight: 122# ± 10%	Weight: N/A
Caliper: 0.010 inches ± 10%	Caliper: N/A
Brightness: N/A	Type: None
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.010 inches ± 10%	Applications includes airline tags, advertising CD "Jewel Case" inserts, event tickets, floral tags, game cards, jewelry boxes, perfume boxes, pocket insert tags, preserves/jams, pricemarking tags, promotional products, retail tags, shelf talker/dangler, table tents, visitor badges
Adhesive: N/A	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 13002
Vendor: Contract Converting
Product #: 100# C1S Semi Gloss

Facestock	Liner
Weight: 100# \pm 10%	Weight: N/A
Caliper: 0.052 inches \pm 10%	Caliper: N/A
Brightness: 83%	Type: N/A
Smoothness: 1.0	
Gloss: 72%	
Opacity: 94%	
Additional Information	Notes
Overall Thickness: 0.0051 inches \pm 10%	Applications include wrap applications, direct mail, envelope book jacket, decorative bags, etc.
Adhesive: N/A	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 13004
Vendor: MacTac
Product #: 8 pt. C1S Tag

Facestock	Liner
Weight: 130# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0080 inches \pm 10%	(500 sheets 24" x 36")
Brightness: 91%	Caliper: 0.00245 inches \pm 10%
Smoothness: N/A	Type: Semi-bleached calendared kraft
Gloss: 50%	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.010 inches \pm 10%	Regulatory Compliance: Toy Safety ASTM F963-
Adhesive: ST95 - acrylic emulsion	96a, Hasbro SRS-012 Rev F, FDA 176.180, USDA
Storage Temperature: 72° F	176.170, FDA 21 CFR 175.105
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 13005
Vendor: Avery Dennison
Product #: Fasson Radid-Roll 8pt. C1S Carta Integra (Galerie Card)

Facestock	Liner
Weight: 104# \pm 10%	Weight: N/A
Caliper: 0.0080 inches \pm 10%	Caliper: N/A
Brightness: 90%	Type: N/A
Smoothness: N/A	
Gloss: 50%	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.008 inches \pm 10%	Applications includes airline tags, CD "Jewel Case" inserts, event tickets, floral tags, game cards, jewelry boxes, perfume boxes, pocket insert tags, pricemarking tags, retail tags, shelf talker/dangler, table tents
Adhesive: N/A	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 13006
Vendor: Green Bay Packaging
Product #: 8pt Tag C2S/504 Permanent Adhesive/2.5 ML White Kraft Liner

Facestock	Liner
Weight: 143# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0080 inches \pm 10%	(500 sheets 24" x 36")
Brightness: 90%	Caliper: 0.00245 inches \pm 10%
Smoothness: 3.5	Type: White densified kraft
Gloss: 50%	
Opacity: 98%	
Additional Information	Notes
Overall Thickness: 0.01 inches \pm 10%	Applications includes airline tags, CD "Jewel Case" inserts, event tickets, floral tags, game cards, jewelry boxes, perfume boxes, pocket insert tags, pricemarking tags, retail tags, shelf talker/dangler, table tents
Adhesive: Acrylic emulsion	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 13007

Vendor: UPM Raflatac

Product Name: 8 pt. C1S Carolina® Tag RP51 40# White Kraft

Facestock	Liner
Weight: 123# ± 10%	Weight: 40# ± 10%
Caliper: 0.0080 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: 94%	Type: White kraft
Smoothness: N/A	
Gloss: 60%	
Opacity: 98%	

Additional Information	Notes
Overall Thickness: 0.011 inches ± 10%	
Adhesive: RP51 - Permanent Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14001

Vendor: UPM Raflatac, Avery Dennison

Product Name: Estate #9 RW110F 44# PK, Fasson Estate Label #9/S100R/44#PK

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0055 inches \pm 10% Brightness: 70% Smoothness: N/A Gloss: N/A Opacity: 91%	Weight: 44# \pm 10% (500 sheets 24" x 36") Caliper: 0.0034 inches \pm 10% Type: Natural kraft (brown)

Additional Information	Notes
Overall Thickness: 0.0091 inches \pm 10% Adhesive: RW110F - Permanent Adhesive Storage Temperature: 72° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14002

Vendor: UPM Raflatac, Avery Dennison

Product Name: Estate #8 RW110F 44# PK, Fasson Estate Label #8/S100R/44#PK

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0048 inches \pm 10% Brightness: 89% Smoothness: N/A Gloss: N/A Opacity: 93%	Weight: 44# \pm 10% (500 sheets 24" x 36") Caliper: 0.0034 inches \pm 10% Type: Natural kraft (brown)

Additional Information	Notes
Overall Thickness: 0.0087 inches \pm 10% Adhesive: RW110F - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Regulatory Compliance: FDA 21 CFR 175.105 Wine, high-end beverages and gourmet food.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14003

Vendor: UPM Raflatac, Avery Dennison

Product Name: Estate #4 RW110F 44# PK, Fasson Estate Label #4/S100R/1.2PET

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0051 inches \pm 10% Brightness: 85% Smoothness: N/A Gloss: N/A Opacity: 93%	Weight: 44# \pm 10% (500 sheets 24" x 36") Caliper: 0.0034 inches \pm 10% Type: Natural kraft (brown)

Additional Information	Notes
Overall Thickness: 0.0089 inches \pm 10% Adhesive: RW110F - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Regulatory Compliance: FDA 21CFR 175.105 Wine, high-end beverages and gourmet food.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14004

Vendor: Avery Dennison

Product Name: Fasson 70# Eggshell Felt WS/S100R-B/44#PK

Facestock	Liner
Weight: 70# ± 10% (500 Sheets 25" x 38")	Weight: 44# ± 10% (500 sheets 24" x 36")
Caliper: 0.0069 inches ± 10%	Caliper: 0.0031 inches ± 10%
Brightness: N/A	Type: Natural kraft (brown)
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0108 inches ± 10%	Wine, high-end beverages and gourmet food.
Adhesive: Fasson S100R - Permanent Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14005

Vendor: Avery Dennison

Product Name: Fasson 70# Royal White WS/S100R-B*/1.2M PET

Facestock	Liner
Weight: 70# \pm 10% (500 Sheets 25" x 38")	Weight: 44# \pm 10% (500 sheets 24" x 36")
Caliper: 0.0054 inches \pm 10%	Caliper: 0.00118 inches \pm 10%
Brightness: N/A	Type: 1.2 mil Polyester
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0076 inches \pm 10%	Wine, high-end beverages and gourmet food.
Adhesive: Fasson S100R - Permanent Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14006
Vendor: Avery Dennison
Product Name: Fasson 70# Bright White Felt WS/S100R-B/44#PK

Facestock	Liner
Weight: 70# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0062 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 44# \pm 10% (500 sheets 24" x 36") Caliper: 0.0031 inches \pm 10% Type: Natural kraft (brown)
Additional Information	Notes
Overall Thickness: 0.01001 inches \pm 10% Adhesive: Fasson S100R - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14007

Vendor: Avery Dennison

Product Name: Fasson Classic Crest/S100R/1.2M PET

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0047 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: N/A (500 sheets 24" x 36") Caliper: 0.001181 inches \pm 10% Type: 1.2 mil Polyester

Additional Information	Notes
Overall Thickness: 0.0067 inches \pm 10% Adhesive: Fasson S100R - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14008
Vendor: Avery Dennison
Product Name: Fasson Classic Linen/S100R/44PK

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38")	Weight: N/A (500 sheets 24" x 36")
Caliper: 0.0047 inches \pm 10%	Caliper: 0.001181 inches \pm 10%
Brightness: N/A	Type: 1.2 mil Polyester
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0067 inches \pm 10%	Wine, high-end beverages and gourmet food.
Adhesive: Fasson S100R - Permanent Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14009
Vendor: Avery Dennison
Product Name: Fasson Birch Wood/AT20N/40#SCK

Facestock	Liner
Weight: 128# \pm 10% (500 Sheets 25" x 38")	Weight: 42.4# (500 sheets 24" x 36")
Caliper: 0.00997 inches \pm 10%	Caliper: 0.00244 inches \pm 10%
Brightness: N/A	Type: 40# Super-calendered Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.01321 inches \pm 10%	Wine, high-end beverages and gourmet food.
Adhesive: Fasson AT20N - All-Temp Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14010

Vendor: Avery Dennison

Product Name: Fasson Cherry Wood/S692N/1.2M PET

Facestock	Liner
Weight: 119# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0105 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 42.4# (500 sheets 24" x 36") Caliper: 0.00118 inches \pm 10% Type: 1.2 mil PET
Additional Information	Notes
Overall Thickness: 0.01248 inches \pm 10% Adhesive: Fasson S692N - General Purpose Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 14011

Vendor: Avery Dennison

Product Name: Fasson 60# Black Vellum/S100R/44#PK

Facestock	Liner
Weight: 60# \pm 10% (500 Sheets 25" x 38") Caliper: 0.0048 inches \pm 10% Brightness: N/A Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 44.5# (500 sheets 24" x 36") Caliper: 0.0032 inches \pm 10% Type: Natural Kraft
Additional Information	Notes
Overall Thickness: 0.01248 inches \pm 10% Adhesive: Fasson S100R - Permanent Adhesive Storage Temperature: 65° F Humidity: 50% RH	Wine, high-end beverages and gourmet food. For use with white toner.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 15001

Vendor: UPM Raflatac

Product Name: 50# Data RP51 40# White Kraft RP51 40# White Kraft

Facestock	Liner #1
Weight: 50# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0040 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: 92%	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Liner #2
Weight: 51# \pm 10%
Caliper: 0.0032 inches \pm 10%
Type: Hi-Brite White kraft

Additional Information	Notes
Overall Thickness: 0.0087 inches \pm 10%	
Adhesive #1 : RP51 - Permanent Adhesive	
Adhesive #2: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 15002

Vendor: UPM Raflatac

Product Name: 54# Raflacoat RP51 40# White Kraft RP51 40# White Kraft

Facestock	Liner #1
Weight: 54# $\pm 10\%$	Weight: 40# $\pm 10\%$
Caliper: 0.0026 inches $\pm 10\%$	Caliper: 0.0024 inches $\pm 10\%$
Brightness: 87%	Type: White kraft
Smoothness: N/A	
Gloss: 72%	
Opacity: 87%	
	Liner #2
	Weight: 51# $\pm 10\%$
	Caliper: 0.0032 inches $\pm 10\%$
	Type: White kraft
Additional Information	Notes
Overall Thickness: 0.0086 inches $\pm 10\%$	
Adhesive #1 : RP51 - Permanent Adhesive	
Adhesive #2: RP51 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16001

Vendor: UPM Raflatac

Product Name: Green Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0038 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	

Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16002
Vendor: UPM Raflatac
Product Name: Pink Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0038 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	
Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16003
Vendor: UPM Raflatac
Product Name: Chartreuse Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0038 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	
Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16004
Vendor: UPM Raflatac
Product Name: Orange Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0038 inches \pm 10%	Caliper: 0.0024 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	
Additional Information	Notes
Overall Thickness: 0.0061 inches \pm 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16005
Vendor: UPM Raflatac
Product Name: Red Fluorescent RP51 40# White Kraft

Facestock	Liner
Weight: 58# ± 10%	Weight: 40# ± 10%
Caliper: 0.0038 inches ± 10%	Caliper: 0.0024 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 91%	
Additional Information	Notes
Overall Thickness: 0.0061 inches ± 10%	
Adhesive: RP48AT - All Temperature Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16006

Vendor: Green Bay Packaging

Product #: 57# Green Fluorescent/758M Permanent Adhesive/3.2 ML Layflat Liner

Facestock	Liner
Weight: 56.7# \pm 10%	Weight: 53# \pm 10%
Caliper: 0.0039 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: 75 mL/min	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0068 inches \pm 10%	Designed for price marking, promotional and general applications.
Adhesive: General purpose acrylic emulsion	
Storage Temperature: 65°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16007

Vendor: Green Bay Packaging

Product #: 57# Blue fluorescent/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 56.7# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0039 inches \pm 10%	Caliper: 0.00245 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: 90 mL/min	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.006 inches \pm 10%	Designed for price marking, promotional and general applications.
Adhesive: Cold temperature acrylic	
Storage Temperature: 65°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16008

Vendor: Green Bay Packaging

Product #: Pink Fluorescent/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 56.7# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0039 inches \pm 10%	Caliper: 0.00245 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: 75 mL/min	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.006 inches \pm 10%	Designed for price marking, promotional and general applications.
Adhesive: Cold temperature acrylic	
Storage Temperature: 65°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16009

Vendor: Technicote

Product #: Red Fluorescent Pricemark/AT333/40#SCK L-3

Facestock	Liner
Weight: 50# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.0038 inches \pm 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.0025 inches \pm 10%
Smoothness: N/A	Type: Supercalendered kraft
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.006 \pm 10%	Regulatory Compliances: FDA 21 CFR 175.105,
Adhesive: AT333	FDA 21 CFR 176.170, CONEG, Heavy Metals and
Storage Temperature: 65°F	ASTM F963a Child Toy Safety
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16010
Vendor: Green Bay Packaging
Product #: Red Fluorescent/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 56.7# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0039 inches \pm 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.00245 inches \pm 10%
Smoothness: 75	Type: White densified kraft
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.005 \pm 10%	
Adhesive: Cold temperature acrylic adhesive	
Storage Temperature: 65°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16011

Vendor: Green Bay Packaging

Product #: Yellow Fluorescent/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 56.7# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0039 inches \pm 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.00245 inches \pm 10%
Smoothness: N/A	Type: White densified kraft
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.006 \pm 10%	
Adhesive: Cold temperature acrylic adhesive	
Storage Temperature: 65°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 16012

Vendor: Green Bay Packaging

Product #: Orange Fluorescent/720 All-Temp Adhesive/2.5ML White Kraft Liner

Facestock	Liner
Weight: 56.7# \pm 10%	Weight: 41# \pm 10%
Caliper: 0.0039 inches \pm 10%	Caliper: 0.00245 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: 75 mL/min	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.006 inches \pm 10%	Designed for price marking, promotional and general applications.
Adhesive: Cold temperature acrylic	
Storage Temperature: 65°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 20001

Vendor: Brandmark Inc

Product #: Laser Matte White Polyester

Facestock	Liner
Weight: N/A	Weight: 60# \pm 10%
Caliper: 0.0022 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0065 inches \pm 10%	Successfully applied to stainless steel, glass and painted metal.
Adhesive: Permanent acrylic adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	Applied labels generally found to be resistant to water, mild acids, salt and alkalis.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20002

Vendor: Brandmark Inc

Product #: Poly 2050

Facestock	Liner
Weight: N/A	Weight: 50# ± 10%
Caliper: 0.002 inches ± 10%	Caliper: 0.003 inches ± 10%
Brightness: N/A	Type: Supercalendered bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.006 inches ± 10%	Successfully applied to stainless steel, glass and painted metal
Adhesive: Permanent acrylic adhesive	
Storage Temperature: 72°F	Applied labels generally found to be resistant to water, mild acids, salt and alkalis.
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20003

Vendor: MacTac

Product #: MACjet Matte Clear Ink Jet

Facestock	Liner
Weight: N/A	Weight: 50# \pm 10%
Caliper: 0.002 inches \pm 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.0034 inches \pm 10%
Smoothness: 250	Type: N/A
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0065 inches \pm 10%	Addresses, craft, file folder and other labels that require a high quality printed image.
Adhesive: MP-915 - permanent acrylic emulsion adhesive	
Storage Temperature: 72°F	Regulatory Compliance: CONEG
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20004
Vendor: Brandmark Inc
Product #: Economy Clear Polyester

Facestock	Liner
Weight: N/A	Weight: 50# ± 10%
Caliper: 0.002 inches ± 10%	Caliper: 0.003 inches ± 10%
Brightness: N/A	Type: Supercalendered bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.006 inches ± 10%	Successfully applied to stainless steel, glass and painted metal.
Adhesive: Permanent acrylic adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	Applied labels generally found to be resistant to water, mild acids, salt and alkalis.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20005

Vendor: MacTac

Product #: MACcopy White PET Laser

Facestock	Liner
Weight: N/A	Weight: 50# \pm 10%
Caliper: 0.002 inches \pm 10%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.0034 inches \pm 10%
Smoothness: N/A	Type: N/A
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.006 inches \pm 10%	Durable address labels and a wide variety of demanding indoor and outdoor labeling.
Adhesive: MP-915 - permanent acrylic emulsion adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	Excellent resistance to heat, humidity, UV light and abrasion.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20006
Vendor: Brandmark Inc
Product #: Economy White Polyester

Facestock	Liner
Weight: N/A	Weight: 50# ± 10%
Caliper: 0.002 inches ± 10%	Caliper: 0.003 inches ± 10%
Brightness: N/A	Type: Supercalendered bleached kraft paper
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.006 inches ± 10%	Successfully applied to stainless steel, glass and painted metal.
Adhesive: Permanent acrylic adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	Applied labels generally found to be resistant to water, mild acids, salt and alkalis.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20007

Vendor: AzCoat

Product #: SuperLzr White Matte Polyester

Facestock	Liner
Weight: 96# ± 10%	Weight: 40# ± 10%
Caliper: 0.002 inches ± 5%	Caliper: 0.0025 inches ± 5%
Brightness: N/A	Type: Supercalendered kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches ± 5%	Good adhesion when applied to glass, metal, polyethylene and many other plastics.
Adhesive: MJ110A1	
Storage Temperature: 72°F	
Humidity: 50% RH	MJ110A1 adhesive is suitable for application where compliance with CFR 175.105 is required.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20008

Vendor: AzCoat

Product #: SuperLzr White Glossy Polyester

Facestock	Liner
Weight: 96# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.002 inches \pm 5%	Caliper: 0.0025 inches \pm 5%
Brightness: N/A	Type: Supercalendered kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches \pm 5%	Good adhesion when applied to glass, metal, polyethylene and many other plastics.
Adhesive: MJ110A1	
Storage Temperature: 72°F	
Humidity: 50% RH	Regulatory Compliance: FDA 21 CFR 175.105

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20009

Vendor: AzCoat

Product #: SuperLzr Clear Glossy Polyester

Facestock	Liner
Weight: 96# \pm 10%	Weight: 40# \pm 10%
Caliper: 0.002 inches \pm 5%	Caliper: 0.0025 inches \pm 5%
Brightness: N/A	Type: Supercalendered kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches \pm 5%	Good adhesion when applied to glass, metal, polyethylene and many other plastics.
Adhesive: MJ110A1	
Storage Temperature: 72°F	
Humidity: 50% RH	Regulatory Compliance: FDA 21 CFR 175.105

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20010

Vendor: MacTac

Product #: 1 mil Clear PET/MP690/3.2mil SCK

Facestock	Liner
Weight: N/A	Weight: 50# ± 10%
Caliper: 0.001 inches ± 10%	Caliper: 0.0032 inches ± 5%
Brightness: N/A	Type: Semi-bleached supercalendered kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0048 inches ± 10%	Recognized for UL969 component labels for indoor and outdoor applications.
Adhesive: MP690	
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20011
Vendor: DigiFlex Distribution
Product #: Polyester Permanent Adhesive

Facestock	Liner
Weight: N/A	Weight: 50# ± 10%
Caliper: 0.002 inches ± 10%	Caliper: 0.0032 inches ± 5%
Brightness: N/A	Type: Semi-bleached supercalendered kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0054 inches ± 10%	Designed for difficult environments such as
Adhesive: Permanent acrylic adhesive	exposure to moisture and wet surfaces.
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20012

Vendor: AzCoat

Product #: SuperLzr Clear Soft Matte Polyester

Facestock	Liner
Weight: 96# ± 10%	Weight: 40# ± 10%
Caliper: 0.002 inches ± 5%	(500 sheets 24" x 36")
Brightness: N/A	Caliper: 0.0025 inches ± 5%
Smoothness: 250	Type: Supercalendered kraft paper
Density: Gloss	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches ± 5%	Good adhesion when applied to glass, metal, polyethylene and many other plastics.
Adhesive: MJ110A1	
Storage Temperature: 72°F	
Humidity: 50% RH	Regulatory Compliance: FDA 21 CFR 175.105

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20013

Vendor: UPM Raflatac

Product Name: Polyjetlaser Matte Transparent RP37 3.8 mil White Kraft

Facestock	Liner
Weight: 30# \pm 10%	Weight: 62# \pm 10%
Caliper: 0.0026 inches \pm 10%	Caliper: 0.0038 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: 65%	
Opacity: 80%	

Additional Information	Notes
Overall Thickness: 0.0063 inches \pm 10%	Photo image quality
Adhesive: RP37 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20014

Vendor: UPM Raflatac

Product Name: Polylaser Matte White Pro RP37 3.8 mil White Kraft

Facestock	Liner
Weight: 61# ± 10%	Weight: 62# ± 10%
Caliper: 0.0025 inches ± 10%	Caliper: 0.0038 inches ± 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.007 inches ± 10%	
Adhesive: RP37 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20016

Vendor: UPM Raflatac

Product Name: 1.7 mil. Polylaser Matte Transparent RP37 3.2 mil White Kraft

Facestock	Liner
Weight: 38# \pm 10%	Weight: 60# \pm 10%
Caliper: 0.0017 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches \pm 10%	
Adhesive: RP37 - Permanent Adhesive	
Storage Temperature: 72° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20018

Vendor: UPM Raflatac

Product Name: Polyjet WFGT RP37 3.4 mil White Kraft

Facestock	Liner
Weight: 38# ± 10%	Weight: 58# ± 10%
Caliper: 0.0031 inches ± 10%	Caliper: 0.0034 inches ± 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0055 inches ± 10%	
Adhesive: RP37 - Permanent Acrylic Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900



Certified Media #: 20019

Vendor: UPM Raflatac

Product Name: Polylaser Matte White RP78 3.8 mil White Kraft

Facestock	Liner
Weight: 61# ± 10%	Weight: 62# ± 10%
Caliper: 0.0025 inches ± 10%	Caliper: 0.0038 inches ± 10%
Brightness: N/A	Type: White kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 88%	

Additional Information	Notes
Overall Thickness: 0.0071 inches ± 10%	
Adhesive: RP78 - Permanent Acrylic Adhesive	
Storage Temperature: 68° F	
Humidity: 50% RH	



Certified Media #: 21001

Vendor: UPM Raflatac

Product #: Polyjet Matte White PP RP51 3.2 mil White Kraft

Facestock	Liner
Weight: 40# ± 10% (500 Sheets 25" x 38")	Weight: 52# ± 10% (500 sheets 24" x 36")
Caliper: 0.004 inches ± 10%	Caliper: 0.0032 inches ± 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: >95%	

Additional Information	Notes
Overall Thickness: 0.0077 inches ± 10%	
Adhesive: RP51-Permanent Adhesive	
Storage Temperature: 65° F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 26001
Vendor: Brandmark Inc
Product #: Laser Vinyl

Facestock	Liner
Weight: N/A	Weight: 74# ± 10%
Caliper: 0.004 inches ± 10%	Caliper: 0.0045 inches ± 10%
Brightness: N/A	Type: Lay flat kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.009 inches ± 10%	Successfully applied to stainless steel, glass and painted metal.
Adhesive: Permanent acrylic adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	Applied labels generally found to be resistant to water, mild acids, salt and alkalis.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 26002

Vendor: Avery Dennison

Product #: Fasson LaserCode Drum Label TC/S4600/79#MF

Facestock	Liner
Weight: 0.0034 inches \pm 10%	Weight: 79# \pm 10%
Brightness: N/A	Caliper: 0.0046 inches \pm 10%
Brightness: N/A	Type: Bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.0088 inches \pm 10%	Pliable vinyl with good tear strength and weather resistance, but relatively low heat resistance.
Adhesive: Fasson S4600	
Storage Temperature: 72°F	
Humidity: 50% RH	
	Regulatory Compliance: FDA 21 CFR 175.105

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 26003

Vendor: UPM Raflatac

Product #: Polyjetlaser Matte White Vinyl RP51 3.2 mil White Kraft

Facestock	Liner
Weight: 0.0045 inches \pm 10%	Weight: 52# \pm 10%
Brightness: N/A	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0083 inches \pm 10%	
Adhesive: Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 26004

Vendor: UPM Raflatac

Product #: Polyjetlaser Matte White Vinyl RP37 3.2 mil White Kraft

Facestock	Liner
Weight: 0.0045 inches \pm 10%	Weight: 52# \pm 10%
Brightness: N/A	Caliper: 0.0032 inches \pm 10%
Brightness: N/A	Type: White Kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 90%	

Additional Information	Notes
Overall Thickness: 0.0083 inches \pm 10%	
Adhesive: Clear Permanent Adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media # 27001

Vendor: Wausau

Product #: 7 Mil Teslin/R-7165/80# w/ST-120 BKS

Facestock	Liner
Weight: 77# ± 10%	Weight: 75# ± 10%
Caliper: 0.007 inches ± 10%	Caliper: 0.0042 inches ± 5%
Brightness: 89%	Type: Clay-coated bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 92%	

Additional Information	Notes
Overall Thickness: N/A	Highly durable, waterproof and moisture resistant.
Adhesive: R-7165	
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 27002
Vendor: PPG Industries
Product #: Digital Teslin

Facestock	Liner
Weight: 123# \pm 10%	Weight: # \pm 10%
Caliper: 0.010 inches \pm 10%	Caliper: 0.00 inches \pm 5%
Brightness: 91%	Type: Clay-coated bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: 95%	
Additional Information	Notes
Overall Thickness: N/A	Highly durable, waterproof and moisture resistant.
Adhesive:	
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 30001

Vendor: Diversified Labeling Solutions

Product #: Laser LAM Foil

Facestock	Liner
Weight: 70# \pm 10% (500 sheets 25" x 38") Caliper: 0.00285 inches \pm 10% Brightness: 78 Smoothness: N/A Gloss: N/A Opacity: N/A	Weight: 49# \pm 10% (500 sheets 24" x 36") Caliper: 0.0032 inches \pm 10% Type: Bleached kraft
Additional Information	Notes
Overall Thickness: 0.0076 inches \pm 10% Adhesive: P3300 - Permanent acrylic emulsion adhesive Storage Temperature: 72°F Humidity: 50% RH	P3300 adhesive is suitable for application where compliance with FDA 175.105 is required.

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 31001
Vendor: Diversified Labeling Solutions
Product #: Laser LAM Foil

Facestock	Liner
Weight: 70# \pm 10% (500 sheets 25" x 38")	Weight: 49# \pm 10% (500 sheets 24" x 36")
Caliper: 0.00285 inches \pm 10%	Caliper: 0.0032 inches \pm 10%
Brightness: 78	Type: Bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	
Additional Information	Notes
Overall Thickness: 0.0076 inches \pm 10%	P3300 adhesive is suitable for application where compliance with FDA 175.105 is required.
Adhesive: P3300 - Permanent acrylic emulsion adhesive	
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.



Certified Media #: 40001
Vendor: Chiasa
Product #: 641HM2MC-140K

Facestock	Liner
Weight: 219# \pm 10%	Weight: N/A
Caliper: 0.010 inches \pm 10%	Caliper: 0.0555 inches \pm 10%
Brightness: Optic White	Type: Supercalendered bleached kraft
Smoothness: N/A	
Gloss: N/A	
Opacity: N/A	

Additional Information	Notes
Overall Thickness: 0.012 \pm 10%	Self-adhesive labels for mattresses and carpets.
Adhesive: Permanent Synthetic - Hot melt rubber	
Storage Temperature: 72°F	
Humidity: 50% RH	

Product availability may be subject to change without prior notification.

*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 900.