



## iColor 700 - Certified Media List

Paper - Glossy				
Media #	Product Description	Product Name	Product #	Vendor
10014*	Glossy White	56# Lasergloss RP54 3.2 mil Hi-White Kraft	LS154Z	UPM Raflatac
10015	Glossy White	Jetgloss Premium On-Demand RP51 2.8 mil White Kraft	LS236J	UPM Raflatac
10016	Glossy White	Jetgloss On-Demand RP51 2.8 mil White Kraft	LS235H	UPM Raflatac
10017	Glossy White	Castgloss RP51 40# White Kraft	PL334D	UPM Raflatac
10018	Glossy White	Castgloss RP48AT 40# White Kraft	PL335E	UPM Raflatac
10019	Glossy White	Raflagloss RP51 40# White Kraft	PL27D	UPM Raflatac

Paper - Matte				
Media #	Product Description	Product Name	Product #	Vendor
11001	Matte White	MACjet Ink Jet	NI1844	MacTac
11007	Matte White	Fasson LaserCopy Jet 300/S9010N/46#LF	18884	Avery Dennison
11018*	Matte White	Latex Impregnated RR22 3.2 mil Hi-White Kraft	LS128W	UPM Raflatac
11019*	Matte White	Matte Laser RP54 3.2 mil Hi-White Kraft	LS164K	UPM Raflatac
11020*	Matte White	54# Laser RP51 3.2 mil Hi-Brite White Kraft	LS153Y	UPM Raflatac
11022	Matte White	50# Jetlaser RP54 2.8mil White Kraft	LS21D	UPM Raflatac
11023	Matte White	Jetcolor RP54 2.8 mil White Kraft	LS111C	UPM Raflatac
11024	Matte White	50# Laser Plus RP54 2.8 mil White Kraft	LS158D	UPM Raflatac
11026	Matte White	Matte Litho RP51 40# White Kraft	PL33K	UPM Raflatac
11027*	Matte Translucent	Jetlaser Translucent RP54 3.2 mil Hi-White Kraft	LS191N	UPM Raflatac
11028	Matte White	Fasson Uncoated Litho WS/AT20N/1.2M PET	19993	Avery Dennison

Paper - Semigloss				
Media #	Product Description	Product Name	Product #	Vendor
12006*	Semigloss White	Mid-Gloss Laser Brite RP54 3.2 mil. Hi-White Kraft	LS86A	UPM Raflatac
12008	Semigloss White	Pharmagloss RP31 2.1 mil. Honey Glassine	PL72C	UPM Raflatac
12009	Semigloss White	Transfer Premium Plus XR13 40# White Kraft	SP072C	UPM Raflatac
12010	Semigloss White	54# Raflacoat RP51 40# White Kraft	PL38Q	UPM Raflatac
12011	Semigloss White	Raflasilk Opaque RP51 40# White Kraft	PL91Y	UPM Raflatac
12012*	Semigloss White	Mid-Gloss Laser DM RP54 3.2 mil Hi-White Kradft	LS230C	UPM Raflatac
12013	Semigloss White	60# Raflacoat Pro RP51 40# White Kraft	PL322R	UPM Raflatac
12014	Semigloss White	60# Raflacoat Pro RP48AT 40# White Kraft	PL323S	UPM Raflatac
12015	Semigloss White	Raflasilk RP51 40# White Kraft	PL59N	UPM Raflatac

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the EDGE 850.



Paper - Tag Stock				
Media #	Product Description	Product Name	Product #	Vendor
13001	Tag White	10 Pt. C1S Carolina® BRT 94	19236	Avery Dennison
13005	Tag White	Fasson® Radid-Roll 8pt. C1S Carta Integra (Galerie Card)	16949	Avery Dennison
13007	Tag White	8 pt. C1S Carolina Tag RP51 40# White Kraft	PL110T	UPM Raflatac

Paper - Textured				
Media #	Product Description	Product Name	Product #	Vendor
14001	Texture Cream	Estate #9 RW110F 44# PK	WL38S	UPM Raflatac
		Fasson Estate Label #9/S100R/44#PK	11301	Avery Dennison
14002	Texture Cream	Estate #8 RW110F 44# PK	WL35P	UPM Raflatac
		Fasson Estate Label #8/S100R/44#PK	02394	Avery Dennison
14003	Texture Cream	Estate #4 RW110F 44# PK	WL32L	UPM Raflatac
		Fasson Estate Label #4/S100R/1.2PET	19639	Avery Dennison
14004	Texture Cream	Fasson 70# Eggshell Felt WS/S100R-B/44#PK	19203	Avery Dennison
14005	Texture White	Fasson 70# Royal White WS/S100R-B*/1.2M PET	53243	Avery Dennison
14006	Texture White	Fasson 70# Bright White Felt WS/S100R-B/44#PK	19917	Avery Dennison
14007	Texture White	Fasson Classic Crest/S100R/1.2M PET	19657	Avery Dennison
14008	Texture White	Fasson Classic Linen/S100R/44PK	12571	Avery Dennison
14009	Texture Birch	Fasson Birch Wood/AT20N/40#SCK	53252	Avery Dennison
14010	Texture Cherry	Fasson Cherry Wood/S692N/1.2M PET	53253	Avery Dennison
14011	Texture Black	Fasson 60# Black Vellum/S100R/44#PK	16256	Avery Dennison

Paper - Piggyback				
Media #	Product Description	Product Name	Product #	Vendor
15001*	Piggyback - Paper	50# Data RP51 40# White Kraft RP51 3.2 Mil Hi White Kraft	UM13R	UPM Raflatac

Paper - Fluorescent				
Media #	Product Description	Product Name	Product #	Vendor
16001	Fluorescent Green	Green Fluorescent RP51 40# White Kraft	FL04F	UPM Raflatac
16002	Fluorescent Pink	Pink Fluorescent RP51 40# White Kraft	FL10M	UPM Raflatac
16003	Fluorescent Chartreuse	Chartreuse Fluorescent RP51 40# White Kraft	FL01C	UPM Raflatac
16004	Fluorescent Orange	Orange Fluorescent RP51 40# White Kraft	FL07J	UPM Raflatac
16005	Fluorescent Red	Red Fluorescent RP51 40# White Kraft	FL13Q	UPM Raflatac

Plastic - PET				
Media #	Product Description	Product Name	Product #	Vendor

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the EDGE 850.



20013	Matte Transparent	Polyjetlaser Matte Transparent RP37 3.8 mil White Kraft	LS274Y	UPM Raflatac
20014	Matte White	Polylaser Matte White Pro RP37 3.8 mil White Kraft	LS266Q	UPM Raflatac
20016	Matte Transparent	1.7 mil Polylaser Matte Transparent RP37 3.2 mil White Kraft	LS27K	UPM Raflatac
20017	Gloss Clear	Polyjetlaser Gloss Clear RP37 3.8 mil White Kraft	LS287J	UPM Raflatac

20018	White	Polyjet Gloss White PET RP37 3.4 mil White Kraft	SY819V	UPM Raflatac
20019	Matte White	Polylaser Matte White Pro RP78 3.8 mil White Kraft	LS267R	UPM Raflatac

Plastic -PP				
Media #	Product Description	Product Name	Product #	Vendor
21001	White Matte	Polyjet Matte White PP RP51 3.2 mil White Kraft	SY847Z	UPM Raflatac

Plastic -Vinyl				
Media #	Product Description	Product Name	Product #	Vendor
26003	Matte White	Polyjetlaser Matte White Vinyl RP51 3.2 mil White Kraft	SY834L	UPM Raflatac
26004	Matte White	Polyjetlaser Matte White Vinyl RP37 3.2 mil White Kraft	SY823Z	UPM Raflatac

Plastic -GHS Compliant				
Media #	Product Description	Product Name	Product #	Vendor
28001	White Matte PET	2 mil White PET/MP690/3.2 mil LF	FDD6919	MACtac
28002	White Gloss BOPP	2.6 mil White BOPP/MP690/3.2 mil SCK	PJ6914	MACtac

Foil - Paper				
Media #	Product Description	Product Name	Product #	Vendor
30002	Gold	Jetgold RP54 3.4 mil White Kraft	LS206C	UPM Raflatac
31002	Silver	Jetsilver RP54 3.4 mil White Kraft	LS205B	UPM Raflatac

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the EDGE 850.



**Certified Media #:** 10014\*

**Vendor:** UPM Raflatac

**Product Name:** 56# Lasergloss RP54 3.2 mil Hi-White Kraft

Facestock	Liner
<b>Weight:</b> 54# $\pm 10\%$	<b>Weight:</b> 53# $\pm 10\%$
<b>Caliper:</b> 0.00310 inches $\pm 10\%$	<b>Caliper:</b> 0.0032 inches $\pm 10\%$
<b>Brightness:</b> 89%	<b>Type:</b> Hi-White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 41%	
<b>Opacity:</b> 92%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0076 inches $\pm 10\%$	<b>* Note:</b> This material cannot be die-cut.
<b>Adhesive:</b> RP54 - Emulsion Acrylic	<b>Kiss-cut and Continuous Rolls Only</b>
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



**Certified Media #:** 10015

**Vendor:** UPM Raflatac

**Product Name:** Jetgloss Premium On-Demand RP51 2.8mil White Kraft

Facestock	Liner
<b>Weight:</b> 121# ± 10%	<b>Weight:</b> 47# ± 10%
<b>Caliper:</b> 0.0041 inches ± 10%	<b>Caliper:</b> 0.0028 inches ± 10%
<b>Brightness:</b> 96%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 75%	
<b>Opacity:</b> N/A	
Additional Information	Notes
<b>Overall Thickness:</b> 0.0074 inches ± 10%	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



**Certified Media #:** 10016

**Vendor:** UPM Raflatac

**Product Name:** Jetgloss On-Demand RP51 2.8mil White Kraft

Facestock	Liner
<b>Weight:</b> 59# $\pm$ 10%	<b>Weight:</b> 47# $\pm$ 10%
<b>Caliper:</b> 0.0041 inches $\pm$ 10%	<b>Caliper:</b> 0.0028 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 45%	
<b>Opacity:</b> 88%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0075 inches $\pm$ 10%	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



**Certified Media #:** 10017

**Vendor:** UPM Raflatac

**Product Name:** Castgloss RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 54# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0031 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 91%	
<b>Opacity:</b> 92%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches $\pm$ 10%	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 68° F	

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700

**Humidity:** 50% RH



**Certified Media #:** 10018

**Vendor:** UPM Raflatac

**Product Name:** Castgloss RP48AT 40# White Kraft

Facestock	Liner
<b>Weight:</b> 54# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0031 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 91%	
<b>Opacity:</b> 92%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches $\pm$ 10%	
<b>Adhesive:</b> RP48AT - All Temperature	

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



**Storage Temperature:** 68° F  
**Humidity:** 50% RH



**Certified Media #:** 10019  
**Vendor:** UPM Raflatac  
**Product Name:** Raflagloss RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 54# ± 10%	<b>Weight:</b> 40# ± 10%
<b>Caliper:</b> 0.0025 inches ± 10%	<b>Caliper:</b> 0.0024 inches ± 10%
<b>Brightness:</b> 90%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 90%	
<b>Opacity:</b> 86%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0054 inches ± 10%	

Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700

**Adhesive:** RP51 - Permanent Adhesive

**Storage Temperature:** 68° F

**Humidity:** 50% RH



Product availability may be subject to change without prior notification.

\*These materials will run in kiss-cut and continuous roll form only. Die-cut is not compatible with the iColor 700



**Certified Media #:** 11001  
**Vendor:** MacTac, DigiFlex Distribution  
**Product Name:** MACjet Ink Jet

Facestock	Liner
<b>Weight:</b> 52# ± 10% (500 sheets 25" x 38") <b>Caliper:</b> 0.0040 inches ± 10% <b>Brightness:</b> 92% <b>Smoothness:</b> 110 <b>Gloss:</b> N/A <b>Opacity:</b> 91.4%	<b>Weight:</b> 40# ± 10% (500 sheets 24" x 36") <b>Caliper:</b> 0.0025 inches ± 10% <b>Type:</b> Semi-bleached kraft
<b>Additional Information</b> <b>Overall Thickness:</b> 0.0065 inches ± 10% <b>Adhesive:</b> MP-910 <b>Storage Temperature:</b> 72° F <b>Humidity:</b> 50% RH	<b>Notes</b> Applications include inventory tags, address, audio/video cassettes, computer disk and CD/R, file folder, shipping/receiving, pricing, order picking, routing, retail point-of-sale, and industrial work.  Regulatory Compliance: CONEG



**Certified Media #:** 11007  
**Vendor:** Avery Dennison  
**Product Name:** Fasson LaserCopy Jet 300/S9010N/46#LF

Facestock	Liner
<b>Weight:</b> 48# ± 10% (500 sheets 25" x 38") <b>Caliper:</b> 0.0037 inches ± 10% <b>Brightness:</b> N/A <b>Smoothness:</b> N/A <b>Gloss:</b> N/A <b>Opacity:</b> N/A	<b>Weight:</b> 46# ± 10% (500 sheets 24" x 36") <b>Caliper:</b> 0.00335 inches ± 10% <b>Type:</b> White Kraft
Additional Information	Notes
<b>Overall Thickness:</b> 0.00755 inches ± 10% <b>Adhesive:</b> S9010N <b>Storage Temperature:</b> 72° F <b>Humidity:</b> 50% RH	



**Certified Media #:** 11018\*

**Vendor:** UPM Raflatac

**Product Name:** Latex Impregnated RR22 3.2 mil. Hi-White Kraft

Facestock	Liner
<b>Weight:</b> 60# ± 10%	<b>Weight:</b> 53# ± 10%
<b>Caliper:</b> 0.0035 inches ± 10%	<b>Caliper:</b> 0.0032 inches ± 10%
<b>Brightness:</b> 89%	<b>Type:</b> Hi-White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 50%	
<b>Opacity:</b> 84%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0072 inches ± 10%	<b>* Note:</b> This material cannot be die-cut.
<b>Adhesive:</b> RR22 - Removable Adhesive	<b>Kiss-cut and Continuous Rolls Only</b>
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 11019\*

**Vendor:** UPM Raflatac

**Product Name:** Matte Laser RP54 3.2 mil Hi-White Kraft

Facestock	Liner
<b>Weight:</b> 50# ± 10%	<b>Weight:</b> 53# ± 10%
<b>Caliper:</b> 0.0029 inches ± 10%	<b>Caliper:</b> 0.0032 inches ± 10%
<b>Brightness:</b> 90%	<b>Type:</b> Hi-White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 88%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0066 inches ± 10%	For multi-purpose labeling.
<b>Adhesive:</b> RP54 - Emulsion Acrylic	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	<b>* Note:</b> This material cannot be die-cut. Kiss-cut and Continuous Rolls Only



**Certified Media #:** 11020\*

**Vendor:** UPM Raflatac

**Product Name:** 54# Laser RP51 3.2 mil Hi-Brite White Kraft

Facestock	Liner
<b>Weight:</b> 54# $\pm$ 10%	<b>Weight:</b> 51# $\pm$ 10%
<b>Caliper:</b> 0.004 inches $\pm$ 10%	<b>Caliper:</b> 0.0032 inches $\pm$ 10%
<b>Brightness:</b> 94%	<b>Type:</b> Hi-Brite White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 88%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0077 inches $\pm$ 10%	<b>* Note:</b> This material cannot be die-cut.
<b>Adhesive:</b> RP51 - Permanent Adhesive	<b>Kiss-cut and Continuous Rolls Only</b>
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 11022

**Vendor:** UPM Raflatac

**Product Name:** 50# Jetlaser RP54 2.8mil White Kraft

Facestock	Liner
<b>Weight:</b> 47# $\pm 10\%$	<b>Weight:</b> 45# $\pm 10\%$
<b>Caliper:</b> 0.0035 inches $\pm 10\%$	<b>Caliper:</b> 0.0028 inches $\pm 10\%$
<b>Brightness:</b> 89%	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 92%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0067 inches $\pm 10\%$	
<b>Adhesive:</b> RP54 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	





**Certified Media #:** 11023

**Vendor:** UPM Raflatac

**Product Name:** Jetcolor RP54 2.8 mil White Kraft

Facestock	Liner
<b>Weight:</b> 47# ± 10%	<b>Weight:</b> 45# ± 10%
<b>Caliper:</b> 0.0036 inches ± 10%	<b>Caliper:</b> 0.0028 inches ± 10%
<b>Brightness:</b> 104%	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 90%	
Additional Information	Notes
<b>Overall Thickness:</b> 0.0069 inches ± 10%	
<b>Adhesive:</b> RP54 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 11024

**Vendor:** UPM Raflatac

**Product Name:** 50# Laser Plus RP54 2.8 mil. White Kraft

Facestock	Liner
<b>Weight:</b> 47# $\pm$ 10%	<b>Weight:</b> 41# $\pm$ 10%
<b>Caliper:</b> 0.0036 inches $\pm$ 10%	<b>Caliper:</b> 0.0028 inches $\pm$ 10%
<b>Brightness:</b> 93.6%	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 90%	
Additional Information	Notes
<b>Overall Thickness:</b> 0.0069 inches $\pm$ 10%	
<b>Adhesive:</b> RP54 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 11026

**Vendor:** UPM Raflatac

**Product Name:** Matte Litho RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 47# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0029 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> 85%	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0060 inches $\pm$ 10%	
<b>Adhesive:</b> RP54 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 11027

**Vendor:** UPM Raflatac

**Product Name:** Jetlaser Translucent RP54 3.2 mil Hi-White Kraft\*

Facestock	Liner
<b>Weight:</b> 42# ± 10%	<b>Weight:</b> 53# ± 10%
<b>Caliper:</b> 0.0020 inches ± 10%	<b>Caliper:</b> 0.0032 inches ± 10%
<b>Transparency:</b> 77%	<b>Type:</b> Hi-White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0057 inches ± 10%	<b>* Note:</b> This material cannot be die-cut.
<b>Adhesive:</b> RP54 - Permanent Adhesive	<b>Kiss-cut and Continuous Rolls Only</b>
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 11028  
**Vendor:** Avery Dennison  
**Product #:** Fasson Uncoated Litho WS/AT20N/1.2M PET

Facestock	Liner
<b>Weight:</b> 60# ± 10%	<b>Weight:</b> N/A
<b>Caliper:</b> 0.0045 inches ± 10%	(500 sheets 24" x 36")
<b>Brightness:</b> N/A	<b>Caliper:</b> 0.00118 inches ± 10%
<b>Smoothness:</b> N/A	<b>Type:</b> 1.2 mil polyester
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	
Additional Information	Notes
<b>Overall Thickness:</b> 0.00648 inches ± 10%	Regulatory Compliance: FDA 21 CFR 175.105
<b>Adhesive:</b> AT20N - All Temperature	
<b>Storage Temperature:</b> 65°F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 12006

**Vendor:** UPM Raflatac

**Product Name:** Mid-Gloss Laser Brite RP54 3.2 mil. Hi-White Kraft

Facestock	Liner
<b>Weight:</b> 57# $\pm$ 10%	<b>Weight:</b> 53# $\pm$ 10%
<b>Caliper:</b> 0.0028 inches $\pm$ 10%	<b>Caliper:</b> 0.0032 inches $\pm$ 10%
<b>Brightness:</b> 92%	<b>Type:</b> Hi-White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 78%	
<b>Opacity:</b> 89%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0064 inches $\pm$ 10%	Designed for premium image quality.
<b>Adhesive:</b> RP54 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	<b>* Note:</b> This material cannot be die-cut.
<b>Humidity:</b> 50% RH	<b>Kiss-cut and Continuous Rolls Only</b>



**Certified Media #:** 12008

**Vendor:** UPM Raflatac

**Product Name:** Pharmagloss RP31 2.1 mil. Honey Glassine

Facestock	Liner
<b>Weight:</b> 44# $\pm$ 10%	<b>Weight:</b> 36# $\pm$ 10%
<b>Caliper:</b> 0.0023 inches $\pm$ 10%	<b>Caliper:</b> 0.0021 inches $\pm$ 10%
<b>Brightness:</b> 88%	<b>Type:</b> Honey Glassine
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 72%	
<b>Opacity:</b> 85%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0048 inches $\pm$ 10%	
<b>Adhesive:</b> RP31 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 12009

**Vendor:** UPM Raflatac

**Product Name:** Transfer Premium Plus XR13 40# White Kraft

Facestock	Liner
<b>Weight:</b> 43# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0029 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> 85%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 88%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0059 inches $\pm$ 10%	
<b>Adhesive:</b> XR13 - Emulsion Acrylic	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	





**Certified Media #:** 12010

**Vendor:** UPM Raflatac

**Product Name:** 54# Raflacoat RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 54# $\pm 10\%$	<b>Weight:</b> 40# $\pm 10\%$
<b>Caliper:</b> 0.0026 inches $\pm 10\%$	<b>Caliper:</b> 0.0024 inches $\pm 10\%$
<b>Brightness:</b> 87%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 72%	
<b>Opacity:</b> 87%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0055 inches $\pm 10\%$	
<b>Adhesive:</b> RP51 - Acrylic Dispersion	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 12011

**Vendor:** UPM Raflatac

**Product Name:** Raflasilk Opaque RP51 40# White Kraft (2.5 mil)

Facestock	Liner
<b>Weight:</b> 57# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0028 inches $\pm$ 10%	<b>Caliper:</b> 0.0025 inches $\pm$ 10%
<b>Brightness:</b> 89%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 78%	
<b>Opacity:</b> 99%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0059 inches $\pm$ 10%	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 12012

**Vendor:** UPM Raflatac

**Product Name:** Mid Gloss Laser DM RP54 3.2 mil Hi-White Kraft\*

Facestock	Liner
<b>Weight:</b> 54# ± 10%	<b>Weight:</b> 53# ± 10%
<b>Caliper:</b> 0.0027 inches ± 10%	<b>Caliper:</b> 0.0032 inches ± 10%
<b>Brightness:</b> 89%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 75%	
<b>Opacity:</b> 86%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0064 inches ± 10%	<b>* Note:</b> This material cannot be die-cut. Kiss-cut and Continuous Rolls Only
<b>Adhesive:</b> RP54 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 12013

**Vendor:** UPM Raflatac

**Product Name:** 60# Raflacoat Pro RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 60# $\pm 10\%$	<b>Weight:</b> 40# $\pm 10\%$
<b>Caliper:</b> 0.0032 inches $\pm 10\%$	<b>Caliper:</b> 0.0024 inches $\pm 10\%$
<b>Brightness:</b> 90%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 70%	
<b>Opacity:</b> 87%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches $\pm 10\%$	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 12014

**Vendor:** UPM Raflatac

**Product Name:** 60# Raflacoat Pro RP48AT 40# White Kraft

Facestock	Liner
<b>Weight:</b> 60# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0032 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> 90%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 70%	
<b>Opacity:</b> 87%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches $\pm$ 10%	
<b>Adhesive:</b> RP48AT - All Temperature Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 12015  
**Vendor:** UPM Raflatac  
**Product Name:** Raflasilk RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 57# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0028 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> 92%	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 78%	
<b>Opacity:</b> 89%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0059 inches $\pm$ 10%	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 13001  
**Vendor:** Avery Dennison  
**Product #:** 10 Pt. C1S Carolina BRT 94

Facestock	Liner
<b>Weight:</b> 122# $\pm$ 10%	<b>Weight:</b> N/A
<b>Caliper:</b> 0.010 inches $\pm$ 10%	<b>Caliper:</b> N/A
<b>Brightness:</b> N/A	<b>Type:</b> None
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.010 inches $\pm$ 10%	Applications includes airline tags, advertising CD "Jewel Case" inserts, event tickets, floral tags, game cards, jewelry boxes, perfume boxes, pocket insert tags, preserves/jams, pricemarking tags, promotional products, retail tags, shelf talker/dangler, table tents, visitor badges
<b>Adhesive:</b> N/A	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 13005

**Vendor:** Avery Dennison

**Product #:** Fasson Radid-Roll 8pt. C1S Carta Integra (Galerie Card)

Facestock	Liner
<b>Weight:</b> 104# $\pm$ 10%	<b>Weight:</b> N/A
<b>Caliper:</b> 0.0080 inches $\pm$ 10%	<b>Caliper:</b> N/A
<b>Brightness:</b> 90%	<b>Type:</b> N/A
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 50%	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.008 inches $\pm$ 10%	Applications includes airline tags, CD "Jewel Case" inserts, event tickets, floral tags, game cards, jewelry boxes, perfume boxes, pocket insert tags, pricemarking tags, retail tags, shelf talker/dangler, table tents
<b>Adhesive:</b> N/A	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	





**Certified Media #:** 13007  
**Vendor:** UPM Raflatac  
**Product Name:** 8 pt. C1S Carolina® Tag RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 123# ± 10%	<b>Weight:</b> 40# ± 10%
<b>Caliper:</b> 0.0080 inches ± 10%	<b>Caliper:</b> 0.0024 inches ± 10%
<b>Brightness:</b> 94%	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 60%	
<b>Opacity:</b> 98%	
Additional Information	Notes
<b>Overall Thickness:</b> 0.011 inches ± 10%	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 14001

**Vendor:** UPM Raflatac, Avery Dennison

**Product Name:** Estate #9 RW110F 44# PK, Fasson Estate Label #9/S100R/44#PK

Facestock	Liner
<b>Weight:</b> 60# ± 10% (500 Sheets 25" x 38")	<b>Weight:</b> 44# ± 10% (500 sheets 24" x 36")
<b>Caliper:</b> 0.0055 inches ± 10%	<b>Caliper:</b> 0.0034 inches ± 10%
<b>Brightness:</b> 70%	<b>Type:</b> Natural kraft (brown)
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 91%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0091 inches ± 10%	Wine, high-end beverages and gourmet food.
<b>Adhesive:</b> RW110F - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 14002

**Vendor:** UPM Raflatac, Avery Dennison

**Product Name:** Estate #8 RW110F 44# PK, Fasson Estate Label #8/S100R/44#PK

Facestock	Liner
<b>Weight:</b> 60# ± 10% (500 Sheets 25" x 38")	<b>Weight:</b> 44# ± 10% (500 sheets 24" x 36")
<b>Caliper:</b> 0.0048 inches ± 10%	<b>Caliper:</b> 0.0034 inches ± 10%
<b>Brightness:</b> 89%	<b>Type:</b> Natural kraft (brown)
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 93%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0087 inches ± 10%	Regulatory Compliance: FDA 21 CFR 175.105
<b>Adhesive:</b> RW110F - Permanent Adhesive	
<b>Storage Temperature:</b> 65° F	Wine, high-end beverages and gourmet food.
<b>Humidity:</b> 50% RH	



**Certified Media #:** 14003

**Vendor:** UPM Raflatac, Avery Dennison

**Product Name:** Estate #4 RW110F 44# PK, Fasson Estate Label #4/S100R/1.2PET

Facestock	Liner
<b>Weight:</b> 60# ± 10% (500 Sheets 25" x 38")	<b>Weight:</b> 44# ± 10% (500 sheets 24" x 36")
<b>Caliper:</b> 0.0051 inches ± 10%	<b>Caliper:</b> 0.0034 inches ± 10%
<b>Brightness:</b> 85%	<b>Type:</b> Natural kraft (brown)
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 93%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0089 inches ± 10%	Regulatory Compliance: FDA 21CFR 175.105
<b>Adhesive:</b> RW110F - Permanent Adhesive	
<b>Storage Temperature:</b> 65° F	Wine, high-end beverages and gourmet food.
<b>Humidity:</b> 50% RH	



**Certified Media #:** 14004

**Vendor:** Avery Dennison

**Product Name:** Fasson 70# Eggshell Felt WS/S100R-B/44#PK

Facestock	Liner
<b>Weight:</b> 70# ± 10% (500 Sheets 25" x 38")	<b>Weight:</b> 44# ± 10% (500 sheets 24" x 36")
<b>Caliper:</b> 0.0069 inches ± 10%	<b>Caliper:</b> 0.0031 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> Natural kraft (brown)
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0108 inches ± 10%	Wine, high-end beverages and gourmet food.
<b>Adhesive:</b> Fasson S100R - Permanent Adhesive	
<b>Storage Temperature:</b> 65° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 14005

**Vendor:** Avery Dennison

**Product Name:** Fasson 70# Royal White WS/S100R-B\*/1.2M PET

Facestock	Liner
<b>Weight:</b> 70# $\pm$ 10% (500 Sheets 25" x 38") <b>Caliper:</b> 0.0054 inches $\pm$ 10% <b>Brightness:</b> N/A <b>Smoothness:</b> N/A <b>Gloss:</b> N/A <b>Opacity:</b> N/A	<b>Weight:</b> 44# $\pm$ 10% (500 sheets 24" x 36") <b>Caliper:</b> 0.00118 inches $\pm$ 10% <b>Type:</b> 1.2 mil Polyester

Additional Information	Notes
<b>Overall Thickness:</b> 0.0076 inches $\pm$ 10% <b>Adhesive:</b> Fasson S100R - Permanent Adhesive <b>Storage Temperature:</b> 65° F <b>Humidity:</b> 50% RH	Wine, high-end beverages and gourmet food.



**Certified Media #:** 14006

**Vendor:** Avery Dennison

**Product Name:** Fasson 70# Bright White Felt WS/S100R-B/44#PK

Facestock	Liner
<b>Weight:</b> 70# ± 10% (500 Sheets 25" x 38") <b>Caliper:</b> 0.0062 inches ± 10% <b>Brightness:</b> N/A <b>Smoothness:</b> N/A <b>Gloss:</b> N/A <b>Opacity:</b> N/A	<b>Weight:</b> 44# ± 10% (500 sheets 24" x 36") <b>Caliper:</b> 0.0031 inches ± 10% <b>Type:</b> Natural kraft (brown)
<b>Additional Information</b> <b>Overall Thickness:</b> 0.01001 inches ± 10% <b>Adhesive:</b> Fasson S100R - Permanent Adhesive <b>Storage Temperature:</b> 65° F <b>Humidity:</b> 50% RH	<b>Notes</b> Wine, high-end beverages and gourmet food.



**Certified Media #:** 14007

**Vendor:** Avery Dennison

**Product Name:** Fasson Classic Crest/S100R/1.2M PET

Facestock	Liner
<b>Weight:</b> 60# $\pm$ 10% (500 Sheets 25" x 38")	<b>Weight:</b> N/A (500 sheets 24" x 36")
<b>Caliper:</b> 0.0047 inches $\pm$ 10%	<b>Caliper:</b> 0.001181 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> 1.2 mil Polyester
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0067 inches $\pm$ 10%	Wine, high-end beverages and gourmet food.
<b>Adhesive:</b> Fasson S100R - Permanent Adhesive	
<b>Storage Temperature:</b> 65° F	
<b>Humidity:</b> 50% RH	





**Certified Media #:** 14008

**Vendor:** Avery Dennison

**Product Name:** Fasson Classic Linen/S100R/44PK

Facestock	Liner
<b>Weight:</b> 60# $\pm$ 10% (500 Sheets 25" x 38") <b>Caliper:</b> 0.0047 inches $\pm$ 10% <b>Brightness:</b> N/A <b>Smoothness:</b> N/A <b>Gloss:</b> N/A <b>Opacity:</b> N/A	<b>Weight:</b> N/A (500 sheets 24" x 36") <b>Caliper:</b> 0.001181 inches $\pm$ 10% <b>Type:</b> 1.2 mil Polyester

Additional Information	Notes
<b>Overall Thickness:</b> 0.0067 inches $\pm$ 10% <b>Adhesive:</b> Fasson S100R - Permanent Adhesive <b>Storage Temperature:</b> 65° F <b>Humidity:</b> 50% RH	Wine, high-end beverages and gourmet food.



**Certified Media #:** 14009

**Vendor:** Avery Dennison

**Product Name:** Fasson Birch Wood/AT20N/40#SCK

Facestock	Liner
<b>Weight:</b> 128# $\pm$ 10% (500 Sheets 25" x 38") <b>Caliper:</b> 0.00997 inches $\pm$ 10% <b>Brightness:</b> N/A <b>Smoothness:</b> N/A <b>Gloss:</b> N/A <b>Opacity:</b> N/A	<b>Weight:</b> 42.4# (500 sheets 24" x 36") <b>Caliper:</b> 0.00244 inches $\pm$ 10% <b>Type:</b> 40# Super-calendered Kraft
<b>Additional Information</b> <b>Overall Thickness:</b> 0.01321 inches $\pm$ 10% <b>Adhesive:</b> Fasson AT20N - All-Temp Adhesive <b>Storage Temperature:</b> 65° F <b>Humidity:</b> 50% RH	<b>Notes</b> Wine, high-end beverages and gourmet food.



**Certified Media #:** 14010

**Vendor:** Avery Dennison

**Product Name:** Fasson Cherry Wood/S692N/1.2M PET

Facestock	Liner
<b>Weight:</b> 119# ± 10% (500 Sheets 25" x 38")	<b>Weight:</b> 42.4# (500 sheets 24" x 36")
<b>Caliper:</b> 0.0105 inches ± 10%	<b>Caliper:</b> 0.00118 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> 1.2 mil PET
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.01248 inches ± 10%	Wine, high-end beverages and gourmet food.
<b>Adhesive:</b> Fasson S692N - General Purpose	
<b>Storage Temperature:</b> 65° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 14011  
**Vendor:** Avery Dennison  
**Product Name:** Fasson 60# Black Vellum/S100R/44#PK

Facestock	Liner
<b>Weight:</b> 60# $\pm$ 10% (500 Sheets 25" x 38")	<b>Weight:</b> 44.5# (500 sheets 24" x 36")
<b>Caliper:</b> 0.0048 inches $\pm$ 10%	<b>Caliper:</b> 0.0032 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> Natural Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	
Additional Information	Notes
<b>Overall Thickness:</b> 0.01248 inches $\pm$ 10%	Wine, high-end beverages and gourmet food.
<b>Adhesive:</b> Fasson S100R - Permanent Adhesive	
<b>Storage Temperature:</b> 65° F	For use with white toner.
<b>Humidity:</b> 50% RH	



**Certified Media #:** 15001

**Vendor:** UPM Raflatac

**Product Name:** 50# Data RP51 40# White Kraft RP51 3.2 mil Hi-White Kraft\*

Facestock	Liner #1
<b>Weight:</b> 50# ± 10%	<b>Weight:</b> 40# ± 10%
<b>Caliper:</b> 0.0040 inches ± 10%	<b>Caliper:</b> 0.0024 inches ± 10%
<b>Brightness:</b> 92%	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 88%	

Liner #2
<b>Weight:</b> 51# ± 10%
<b>Caliper:</b> 0.0032 inches ± 10%
<b>Type:</b> Hi-Brite White kraft

Additional Information	Notes
<b>Overall Thickness:</b> 0.0087 inches ± 10%	<b>* Note:</b> This material cannot be die-cut. <b>Kiss-cut and Continuous Rolls Only</b>
<b>Adhesive #1 :</b> RP51 - Permanent Adhesive	
<b>Adhesive #2:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 16001  
**Vendor:** UPM Raflatac  
**Product Name:** Green Fluorescent RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 58# ± 10%	<b>Weight:</b> 40# ± 10%
<b>Caliper:</b> 0.0038 inches ± 10%	<b>Caliper:</b> 0.0024 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 91%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches ± 10%	
<b>Adhesive:</b> RP48AT - All Temperature Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 16002  
**Vendor:** UPM Raflatac  
**Product Name:** Pink Fluorescent RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 58# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0038 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 91%	
Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches $\pm$ 10%	
<b>Adhesive:</b> RP48AT - All Temperature Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 16003  
**Vendor:** UPM Raflatac  
**Product Name:** Chartreuse Fluorescent RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 58# ± 10%	<b>Weight:</b> 40# ± 10%
<b>Caliper:</b> 0.0038 inches ± 10%	<b>Caliper:</b> 0.0024 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 91%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches ± 10%	
<b>Adhesive:</b> RP48AT - All Temperature Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	





**Certified Media #:** 16004  
**Vendor:** UPM Raflatac  
**Product Name:** Orange Fluorescent RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 58# ± 10%	<b>Weight:</b> 40# ± 10%
<b>Caliper:</b> 0.0038 inches ± 10%	<b>Caliper:</b> 0.0024 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 91%	
Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches ± 10%	
<b>Adhesive:</b> RP48AT - All Temperature Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 16005  
**Vendor:** UPM Raflatac  
**Product Name:** Red Fluorescent RP51 40# White Kraft

Facestock	Liner
<b>Weight:</b> 58# $\pm$ 10%	<b>Weight:</b> 40# $\pm$ 10%
<b>Caliper:</b> 0.0038 inches $\pm$ 10%	<b>Caliper:</b> 0.0024 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 91%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0061 inches $\pm$ 10%	
<b>Adhesive:</b> RP48AT - All Temperature Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 20013

**Vendor:** UPM Raflatac

**Product Name:** Polyjetlaser Matte Transparent RP37 3.8 mil White Kraft

Facestock	Liner
<b>Weight:</b> 30# $\pm$ 10%	<b>Weight:</b> 62# $\pm$ 10%
<b>Caliper:</b> 0.0026 inches $\pm$ 10%	<b>Caliper:</b> 0.0038 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> 65%	
<b>Opacity:</b> 80%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0063 inches $\pm$ 10%	Photo image quality
<b>Adhesive:</b> RP37 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 20014

**Vendor:** UPM Raflatac

**Product Name:** Polylaser Matte White Pro RP37 3.8 mil White Kraft

Facestock	Liner
<b>Weight:</b> 61# $\pm$ 10%	<b>Weight:</b> 62# $\pm$ 10%
<b>Caliper:</b> 0.0025 inches $\pm$ 10%	<b>Caliper:</b> 0.0038 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 88%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.007 inches $\pm$ 10%	
<b>Adhesive:</b> RP37 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 20016

**Vendor:** UPM Raflatac

**Product Name:** 1.7 mil Polylaser Matte Transparent RP37 3.2 mil White Kraft

Facestock	Liner
<b>Weight:</b> 38# $\pm$ 10%	<b>Weight:</b> 60# $\pm$ 10%
<b>Caliper:</b> 0.0017 inches $\pm$ 10%	<b>Caliper:</b> 0.0032 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0055 inches $\pm$ 10%	
<b>Adhesive:</b> RP37 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 20017  
**Vendor:** UPM Raflatac  
**Product Name:** Polyjetlaser Gloss Clear RP37 3.8 mil White Kraft

Facestock	Liner
<b>Weight:</b> 40# ± 10%	<b>Weight:</b> 62# ± 10%
<b>Caliper:</b> 0.0020 inches ± 10%	<b>Caliper:</b> 0.0038 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0063 inches ± 10%	
<b>Adhesive:</b> RP37 - Permanent Adhesive	
<b>Storage Temperature:</b> 72° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 20018  
**Vendor:** UPM Raflatac  
**Product Name:** Polyjet WFGT RP37 3.4 mil White Kraft

Facestock	Liner
<b>Weight:</b> 38# ± 10%	<b>Weight:</b> 58# ± 10%
<b>Caliper:</b> 0.0031 inches ± 10%	<b>Caliper:</b> 0.0034 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0055 inches ± 10%	
<b>Adhesive:</b> RP37 - Permanent Acrylic Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 20019  
**Vendor:** UPM Raflatac  
**Product Name:** Polylaser Matte White RP78 3.8 mil White Kraft

Facestock	Liner
<b>Weight:</b> 61# ± 10%	<b>Weight:</b> 62# ± 10%
<b>Caliper:</b> 0.0025 inches ± 10%	<b>Caliper:</b> 0.0038 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 88%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0071 inches ± 10%	
<b>Adhesive:</b> RP78 - Permanent Acrylic Adhesive	
<b>Storage Temperature:</b> 68° F	
<b>Humidity:</b> 50% RH	





**Certified Media #:** 21001

**Vendor:** UPM Raflatac

**Product #:** Polyjet Matte White PP RP51 3.2 mil White Kraft

Facestock	Liner
<b>Weight:</b> 0.004 inches $\pm$ 10%	<b>Weight:</b> 52# $\pm$ 10%
<b>Brightness:</b> N/A	<b>Caliper:</b> 0.0032 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 95%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0077 inches $\pm$ 10%	
<b>Adhesive:</b> Permanent Adhesive	
<b>Storage Temperature:</b> 72°F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 26003

**Vendor:** UPM Raflatac

**Product #:** Polyjetlaser Matte White Vinyl RP51 3.2 mil White Kraft

Facestock	Liner
<b>Weight:</b> 0.0045 inches $\pm$ 10%	<b>Weight:</b> 52# $\pm$ 10%
<b>Brightness:</b> N/A	<b>Caliper:</b> 0.0032 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 90%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0083 inches $\pm$ 10%	
<b>Adhesive:</b> RP51 - Permanent Adhesive	
<b>Storage Temperature:</b> 72°F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 26004

**Vendor:** UPM Raflatac

**Product #:** Polyjetlaser Matte White Vinyl RP37 3.2 mil White Kraft

Facestock	Liner
<b>Weight:</b> 0.0045 inches $\pm$ 10%	<b>Weight:</b> 52# $\pm$ 10%
<b>Brightness:</b> N/A	<b>Caliper:</b> 0.0032 inches $\pm$ 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> 90%	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0083 inches $\pm$ 10%	
<b>Adhesive:</b> RP37 - Clear Permanent Adhesive	
<b>Storage Temperature:</b> 72°F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 28001

**Vendor:** MACTac

**Product Name:** 2 mil White PET/MP690/3.2 mil LF

Facestock	Liner
<b>Weight:</b> 44# ± 10%	<b>Weight:</b> 58# ± 10%
<b>Caliper:</b> 0.002 inches ± 10%	<b>Caliper:</b> 0.0034 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0062 inches ± 10%	This product conforms to Section 1, 2 and 3 of BS5609 Compliance.
<b>Adhesive:</b> MP690 - Permanent Adhesive	
<b>Storage Temperature:</b> 72°F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 28002

**Vendor:** MACtac

**Product Name:** 2.6 mil White BOPP/MP690/3.2 mil SCK

Facestock	Liner
<b>Weight:</b> 35# ± 10%	<b>Weight:</b> 58# ± 10%
<b>Caliper:</b> 0.0026 inches ± 10%	<b>Caliper:</b> 0.0032 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> Super Calendared Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0068 inches ± 10%	This product conforms to Section 1, 2 and 3 of BS5609 Compliance.
<b>Adhesive:</b> MP690 - Permanent Adhesive	
<b>Storage Temperature:</b> 72°F	
<b>Humidity:</b> 50% RH	



**Certified Media #:** 30002

**Vendor:** UPM Raflatac

**Product Name:** Jetgold RP54 3.4 mil White Kraft

Facestock	Liner
<b>Weight:</b> 60# $\pm$ 10% (500 sheets 25" x 38") <b>Caliper:</b> 0.0036 inches $\pm$ 10% <b>Brightness:</b> N/A <b>Smoothness:</b> N/A <b>Gloss:</b> N/A <b>Opacity:</b> N/A	<b>Weight:</b> 58# $\pm$ 10% (500 sheets 24" x 36") <b>Caliper:</b> 0.0034 inches $\pm$ 10% <b>Type:</b> White Kraft

Additional Information	Notes
<b>Overall Thickness:</b> 0.0075 inches $\pm$ 10% <b>Adhesive:</b> RP54 - Permanent Adhesive <b>Storage Temperature:</b> 72°F <b>Humidity:</b> 50% RH	



**Certified Media #:** 31002

**Vendor:** UPM Raflatac

**Product Name:** Jetsilver RP54 3.4 mil White Kraft

Facestock	Liner
<b>Weight:</b> 60# ± 10% (500 sheets 25" x 38")	<b>Weight:</b> 58# ± 10% (500 sheets 24" x 36")
<b>Caliper:</b> 0.0036 inches ± 10%	<b>Caliper:</b> 0.0034 inches ± 10%
<b>Brightness:</b> N/A	<b>Type:</b> White Kraft
<b>Smoothness:</b> N/A	
<b>Gloss:</b> N/A	
<b>Opacity:</b> N/A	

Additional Information	Notes
<b>Overall Thickness:</b> 0.0075 inches ± 10%	
<b>Adhesive:</b> RP54 - Permanent Adhesive	
<b>Storage Temperature:</b> 72°F	
<b>Humidity:</b> 50% RH	